Dated: 24/02/2022

REQUEST FOR PROPOSAL (RFP)

FOR

SELECTION OF VENDOR

FOR

Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH

THE WEST BENGAL STATE CO-OPERATIVE BANK LTD.

HEAD OFFICE ADDRESS: 24A, WATERLOO STREET, KOLKATA - 700069
RFP Reference: WBSCB/TENDER/KASHINAGAR/Interior/1.1
Date: 24/02/2022 (Thursday)
Last Date for Submission: 15/03/2022

Before: 02:30 P.M.

Dated: 24/02/2022

INDEX:

Section Reference	Particulars Particulars	Page No.
	Important Dates and Schedule of Activities	3
Section 1	General Information, Disclaimer and Instructions For Bidders	
1	Introduction of The Bank	5
1.1	Purpose of the Tender	5
1.2	Name of the work	5
1.3	Time of completion	5
1.4	Earnest money deposit	6
1.5	Cost of tender document	6
1.6	Retention money	6
1.7	Release of retention money	6
1.8	Availability of Tender Document	6
1.9	Issue of tender document	6
1.10	Pre-qualification criteria	6 to 7
1.11	Documents to be submitted	8
1.12	Time and date of opening bid	8 to 9
1.13	Venue for opening of Bid	9
1.14	Tender to be addressed and submitted to	9
1.15	Clarification, if any, to be obtained from	9
1.16	Validity of tender	9
1.17	Defect Liability Period	10
1.18	Security Deposit	10
1.19	Award to Selected Vendor	10
1.20	Dispute resolution	10
1.21	Other disciplines	10 to 11
1.22	Payment Terms	11
Section 2	Objective, Scope and Lodgment of The RFP	
2	Objective O	11
2.1	Scope	11
2.1.1	Basic Instructions to The Bidders	12 to 14
2.2	Ladgment of RFP	15
2.2.1	RFP Response guidelines	15 to 20
2.3	Related Parties	20
2.4	Registration of RFP Submission	20
2.5	Format for raising queries	20 to 21
Section 3	Important notes	21 to 24
Section 4	Evaluation and comparison of Bids	24 to 25
Annexure	·	
Annexure – A	General & Technical Information	26 to 29
Annexure-B	Compliance Certificate	30
Annexure-C	Bid Security/EMD Declaration	31
Annexure-D	Declaration regarding blacklisting	32
Annexure-E	Undertaking regarding warranty and three years maintenance	33
Annexure – 1	Price Bid Document	34 to 49
Annexure – 2	Final check list	50

Dated: 24/02/2022

Important Dates and Schedule of Activities:

Sr. No.	Particulars	Details
1	Project Name	Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd.
2	Project location	Village & Post Office-Kashinagar, District-South 24-Parganas
3	RFP Inviting Bank	The West Bengal State Cooperative Bank Ltd. (WBSCB)
4	RFP Reference No.	WBSCB/Tender/KASHINAGAR/Interior/1.1 dated 24/02/2022
5	Availability of RFP Documents	To be downloaded from WBSCB Website 'www.wbstcb.com'
		and/or www.tenderwizard.com/eproc
6	RFP Cost	Rs. 4,000/- (Four Thousand only) in the form of Demand Draft/Pay Order in favour of The West Bengal State Cooperative Bank Limited payable at Kolkata. Details of such Demand Draft/Pay Order are to be uploaded on the website. The Bidders registered as MSME are exempted for payment of the cost of tender form upon submission of valid documents to the satisfaction of the Bank
7	Date of Issuance of RFP	24/02/2022 at 11:00 A.M.
8	Last Date and Time for Submission of Pre-Bid Queries	04/03/2022 by 02:30 P.M.
9	Last Date and Time for Bid submission (on or before)	15/03/2022 by 02:30 P.M.
10	Mode of Submission of RFP	To be uploaded on website
11	Website for Uploading Proposals (Both Technical & Commercial)	www.tenderwizard.com/eproc
11	Date and Time of Opening of Technical Proposals	15/03/2022 by 03:30 P.M.
12	Date and Time of Opening of Commercial Proposals	Bank shall advise the technically qualified bidders indicating the date, time & place for opening of the commercial bids later.
13	Bid validity period	180 days from the last date and time of Submission.
14	Estimated price (without GST)	Rs.32,58,134.52 (excluding GST / other tax component)
15	Currency	Currency in which the Bidders may quote the price and will receive payment is INR only.
16	Language of Bid Submission	Proposals should be submitted in English only.
17	Contact persons and email id	Ar. Somdev Datta. (Principal Architect),
		D Subhas and Associates D-20/5, Karunamoyee, Salt Lake, Sector-2, Kolkata-700091 E-mail: dsubhas.kol@gmail.com
18	Communication Address	All communications, including proposal documents should be addressed to: The Managing Director, The West Bengal State Co-operative Bank, 24A, Waterloo Street, Kolkata - 700069
19	Newspaper publication	Aajkaal, Business Standard & Dainik Viswamitra dated 24/02/2022

Dated: 24/02/2022

[Note: Bidders are required to strictly submit their bids, both technical and eligibility criteria as well as commercial, in electronic form using the e-procurement system at www.tenderwizard.com/eproc. Bids received after closing of the bid in the e-procurement system are summarily rejected without sighting any reason].

All the technical supporting documents should be submitted electronically uploading in the website mentioned above on or before the final date & time of bid submission. The documents in hardcopy (except that of commercial bid indicating price) shall also to be submitted in the tender box placed at the 3rd floor of the Bank subscribing the project name.

DEADLINE FOR SUBMISSION OF BID: Bids must be submitted not later than the specified date and time mentioned in the Bid Document. If the specified date of submission of bids being declared a holiday for the Bank, the bids will be received up to the specified time in the next working day. The Bank may, at its discretion, extend this deadline for submission of bids by amending the bid documents, in which case all rights and obligations of the Bank and bidders, previously subject to the deadline, will thereafter be subject to the deadline extended.

The above dates are tentative and subject to change without any prior notice or intimation. Bidders should check website www.wbstcb.com under 'Tenders and Quotations' Section for any changes / addendums to the above schedule and/or any other changes to this RFP. Bank would not be responsible for any delayed/lack of update directly to the bidder. Bidders to confirm with Bank the time and venue 1 (one) day prior to any of the above event.

Eligibility cum Technical bids will be opened in the presence of the bidder's representatives who choose to attend the opening of eligibility cum technical bid. No separate communication shall be sent in this regard. Subsequently, the Bank will evaluate the eligibility cum Technical Bids and the bidders shall be suitably intimated about outcome, after evaluation.

Commercial bids will be opened in the presence of the bidder's representatives, desirous to attend and are found qualified upon evaluation of the eligibility and technical bid by Bank.

Important Clarifications:

- 1. 'The Bank' means The West Bengal State Cooperative Bank Ltd and henceforth be called as 'WBSCB'/'The Bank'/'Bank'.
- 'Bidder' means the prospective BIDDER who has received RFP document and intends to Composite Interior Furnishing Works
 including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH as mentioned in this Document henceforth will be called as
 "BIDDER".
- 3. 'Vendor' means the selected bidder of the RFP.
- 4. 'RFP' or 'Tender' means the Request for Proposal.
- 5. 'Recipient' or 'Respondent' or 'Bidder' means who responds/submits BID in response to this RFP issued by Bank.
- 6. Proposal/Bid/Offer means response to RFP document submitted by Recipient to the Bank.

Abbreviations:

Abbreviation	Expansion
WBSCB	The West Bengal State Cooperative Bank Ltd.
EMD	Earnest Money Deposit / Bid Security / Performance Security Deposit
INR	Indian Rupee
MIS	Management Information System
SLA	Service Level Agreement
NDA	Non-disclosure Agreement

Dated: 24/02/2022

SECTION 1: GENERAL INFORMATION, DISCLAIMER & INSTRUCTIONS FOR BIDDERS.

1. INTRODUCTION OF THE BANK

The West Bengal State Co-operative Bank Limited having its registered office at 24-A, Waterloo Street, Kolkata-700069 is a 100 years old Banking Institution working as an Apex Bank of all Co-operative Banks of West Bengal. Serving the needs of peoples from remote areas to State Capital, Bank have 43 branches in South 24 Parganas, North 24 Parganas, Coochbehar Districts and in Kolkata & Siliguri working on the CBS platform.

1.1 Purpose of the Tender

E-tenders are invited for Composite work from Contractors, enlisted and empanelled with Govt organizations/ Banks including State Co-operative Bank & District Central Co-operative Bank Ltd in India having adequate experience to execute this type of works are eligible for this contract.

E-Tender offers in two bid system from firms who have successfully handled and completed works of similar nature and having their own Offices in major cities of India preferably in Kolkata, for complete project construction works as well as necessary installation commissioning and testing of the works to be completed as specified in the scope of work as detailed and specification provided in this RFP.

For complete details, formats and terms & conditions of tender please log on to Bank's website: www.wbstcb.com or www.tenderwizard.com/eproc

1.2. Name of the Work:-

Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd.

1.3. Time of completion

45 (Forty-Five) Days from the date of awarding the contract. The time frame is conclusive. No extension will be allowed otherwise the Bank considers that there is valid reason for delay of the work and express its consent in written. Penalty of Rs. 10000.00 (Rs. TenThousand) only per day will be deducted for the delay beyond time frame of 45 (forty-five) days upto maximum penalty equivalent to 3% of the project value. However the above time frame cannot be stretched beyond 60 days, else the Bank may at their sole discretion cancel the contract and assign the job to L-2 and subsequently L-3 bidder. Works have to be taken up simultaneously in coordination with Project Architect / Bank Officials.

Dated: 24/02/2022

1.4. EARNEST MONEY DEPOSIT / BID SECURITY/PERFORMANCE SECURITY DEPOSIT:-

Giving cognizance to Office Memorandum No.F.9/4/2020-PPD dated 12th November, 2020 of Government of India, Ministry of Finance, Department of Expenditure Procurement Policy Division, no Earnest Money is required to submit with the Tender. However the bidders have to submit declaration as per **Annexure-C**.

More fully, upon acceptance of the bids, the successful Bidder have to submit **Performance Security Deposit** equivalent to 3% of the value accepted in the form of Bank Draft/Pay Order.

1.5. Cost of Tender Document (Non refundable)

Rs.4000/- (Rupees Four Thousand only) by crossed Demand Draft / Pay Order payable at Kolkata and drawn in favour of "THE WEST BENGAL STATE COOPERATIVE BANK LTD." To be submitted. The Bidders registered as MSME are exempted for payment of the cost of tender form upon submission of valid documents to the satisfaction of the Bank. Non submission of cost of tender form without production of MSME certificate issued by competent authority is liable to be rejected. The image of the Draft / Pay Order has to be uploaded with the technical bid in tender uploading wizard, while the original has to be submitted in a sealed cover at the tender box placed at 3rd floor of the Bank at 24-A, Waterloo Street, Kolkata-700069.

1.6. Retention Money

The retention percentage (i.e deduction from interim bill) shall be 5% of the gross value of each interim bill.

1.7. Release of Retention Money

- a) 50% of retention money will be released on completion of work order and issue virtual completion certified by the Project Architect.
- b) Balance in 14 days after the end of Defect Liability Period provided the vendor has satisfactorily carried out all the works and attended to all defects in accordance with the conditions of the contract including site clearance.

1.8. Availability of Tender Document

At Bank's Website: www.wbstcb.com under "Tenders and Quotations" section and/or www.tenderwizard.com/eproc

1.9. Issue of tender document

24/02/2022 11.00 A.M. onwards

1.10. Pre-Qualification Criteria & Criteria for Short Listing:-

The firms having experience of successfully completed Interior Furnishing, electrical works, CCTV and other associated AC installation works (COMPOSITE) during the last 7 years ending on 31st March, 2021 and fulfilled either of the one following criteria:

Dated: 24/02/2022

a) 03 (three) "similar completed works" costing not less than the amount of Rs. 14.0 Lakhs (Rupees Fourteen Lakhs Only) each

UK

b) 02 (two) "similar completed works" costing not less than the amount of Rs. 19.0 Lakhs (Rupees Nineteen Lakhs Only) each

 $\square R$

c) Of (one) "similar completed work" costing not less than the amount of Rs. 32.00 Lakhs (Rupees Thirty-Two Lakhs Only)

In addition to above, the Eligibility criteria for short listing for attending the tender are as under:-

- i) Reputed and Established contractors with business of rendering INTERIOR DECORATION works and allied supply and installation works as per the requirements for the project as enumerated vide Detailed Scope of works vide BOQ & Specifications as attached herewith shall have base with technical support function in all from owned premise office in Kolkata.
- ii) The annual turnover for the bidder should not be less than INR. 95.0 lakks per year for last 3 financial years i.e 2018-19, 2019-20 and 2020-2021. This must be individual company's turnover and not that of any group companies. A Certificate by Chartered Accountant (mentioning his membership number) to this effect be furnished. The vendor should submit copies of the balance sheet and Profit & Loss A/c for the past 3 years, duly audited by chartered accountants for perusal by the bank.
- iii) Should be a registered company/firm with authentic PAN, GST, ESI and EPF distinguished registration numbers allotted by competent authorities.
- iv) The vendor should be able to supply, install, commission and test as per the requirements set in the tender BOQ document attached for all the products / works as mentioned in BoQ by themselves. The firms should have expertise in providing Composite works in the past, in totality.
- v) The vendor should have minimum 07 (seven) years experience in the field of INTERIOR DECORATION and CONSTRUCTION works as on 31.03.2021.
- vi) The firms who have successfully executed over 20 composite works during last 07 years with submission of necessary documentation of the same.
- vii) The vendor should have successfully completed similar project works preferably with Govt. Departments, Public/ Private Sector Banks / Govt. Corporations / State Co-operative Bank and DCCBs. Year wise details of such details in the past 3 years should be furnished.
- viii) The company should have made net profits in each of the last three financial years (viz. 2018-19, 2019-20 & 2020-2021) and also should have positive net worth in each of the last three years.
- xii) The bidder should not be blacklisted company in any of the government institution / Bank. The self-declaration in this regard on company's letter head should be attached to the technical proposal as per **Annexure-D**.

The short-listing of the applications received and final selection of vendors for supplying equipment to the bank will be done by carrying out evaluation of various parameters/criteria fixed as above by the Committee constituted for the purpose.

Bank reserves the right to select or reject any or all applicants without assigning any reason thereof.

Dated: 24/02/2022

1.11. Documents to be submitted

- 1.11.1. Name, address & Type of firm with organization details, Trade License, Registration Certificate Copy, Telephone Numbers, Fax Numbers etc.
- **1.11.2**. List of Govt./ Quasi-Govt. Dept. and other organizations of repute with whom the company is empanelled/working. Contact details of the persons of those organizations are to be provided along with the list in Annexure-A.
- **1.11.3**. List of similar work completed in last 7 years with details enclosing completion certificate from the clients along with the names of two responsible clients/ persons with address & telephone number who will be in position to certify about quality as well as past performance of the bidder's organization in **Annexure-A**.
- 1.11.4. List of similar works in hand with details enclosing the copies of work orders from the clients in Annexure-A.
- 1.11.5. Copies of the Audited Balance Sheet for the last three (3) Years i.e., 2018-2019, 2019-2020 and 2020-2021 along with the Profit & Loss Account.
- 1.11.6. Banker's Certificate for credit worthiness.
- **1.11.7**. Valid Income Tax Return for the last three (3) Years i.e., 2018-2019, 2019-2020 and 2020-2021 along with Pan Card, GST Registration No. etc.
- 1.11.8. List of disputes/litigations entered into, if any, with its details

[PLEASE MAY REF TO THE ANNEXURE A AND FILL THE DETAILS AS PER THE FORMAT PROVIDED]

1.12. Time and date of opening Bid

- 1.12.1 Technical Bid:-At 03.30 P.M. on the scheduled date (Please refer Important Dates and Schedule of Activities)
- 1) The technical bid should be uploaded as per details provided in the RFP document. In addition, the printed copy/hard copy of Technical Bid also should be submitted at the Head Office in a bound form and all pages continuously and serially numbered in one lot as one document. Brochures/leaflets etc. should be submitted in the bound document and not in a loose form. **BIDDER must ensure that all the documents uploaded / submitted in hard copies are sealed and signed by the authorized signatory**.
- 2) The printed copy of Technical & Eligibility bid proposal as given in Annexure A along with Annexure B, Annexure C, Annexure D & Annexure E should be neatly typed on the letterhead of the BIDDER, duly filled in, signed and complete in all respect including annexure for detailed specifications of equipment etc. as directed.
- 3) The bids shall inter alia include detailed technical specifications of all the products in brochure or written form. These brochures shall be used for technical evaluation of the bids and in their absence the bids may not be evaluated. The Bid shall include the details of all the goods and services offered including offer for one-year warranty and three year maintenance.
- 4) The Technical Bid submitted in response to this RFP Document along with the supporting material, will become the property of the Bank.
- 5) Unpriced Commercial Bid statement as per format provided. The Bidder must include the masked (without prices) commercial bid in the Eligibility cum Technical Bid. The masked commercial bid which would be submitted

Dated: 24/02/2022

as part of the Eligibility cum Technical Bid should contain price as "XX" instead of actual price for all the line items. THE Bidder must note that the masked commercial bid should be actual copy of the commercial bid with prices masked and not the pro-forma/format of the Commercial Offer as per **Annexure-1** in the RFP.

Eligibility cum Technical bids will be opened in the presence of the bidder's representatives who choose to attend the opening of eligibility cum technical bid. No separate communication shall be sent in this regard. Subsequently, the Bank will evaluate the eligibility cum Technical Bids and the bidders shall be suitably intimated about outcome, after evaluation.

1.12.2 Commercial Bids:-

After completion of the evaluation for the technical bid submitted, the successful bidders will be communicated through e-mail or through other mode as per choice of the Bank. Commercial bids will be opened in the presence of the bidder's representatives, desirous to attend and are found qualified upon evaluation of the eligibility and technical bid by Bank. The bidders should quote their commercial keeping in mind the followings:

- 1) Bid Rates as per the format enclosed in **Annexure 1**. The BIDDER shall indicate the Rates, Terms of Reference of which are given in the Technical Specifications.
- 2) The details of Rate Schedule for Composite Work under all the components of this RFP for which the BIDDER is intending to quote. Quoting rate for selective items that means if the bidder does not quote their commercial for all the items required by Bank will be outright cancelled.
- 3) The Commercial Bid must be as per the BoQ provided along with the RFP.
- 4) The taxes (GST) will be extra as per prevailing rates at the time of billing during the contract.

1.13. Venue of opening of bids

Conference Room, Head Office of THE WEST BENGAL STATE COOP. BANK LTD, 24A WATERLOO STREET, KOLKATA-700069

1.14. Tender to be addressed and submitted to

All communications, including proposal documents should be addressed to:

The Managing Director, The West Bengal State Co-operative Bank, 24A, Waterloo Street, Kolkata - 700069

1.15. Clarification, if any, to be obtained from

Ar. Somdev Datta. (Principal Architect), D. Subhas and Associates, D - 20/5, Karunamoyee, Salt Lake, Sector-2, Kolkata-700091, Phone :: + 91 98314 45981 / 8777 836 727, Email : dsubhas.kol@gmail.com

1.16. Validty of Tender:-

180 (One Hundred Eighty) days from the date of Submission of Tender.

Dated: 24/02/2022

1.17. Defect Liability Period

12 (twelve) months from the date of completion. Participation by the vendor to the tender process will tantamount that they unconditionally undertake to replace the items once identified as defective.

1.18. Performance Security Deposit

The contractor, whose tender is accepted, will be required to furnish by way of Performance Security Deposit/retention money by Pay Order or Demand Draft for the due fulfillment of his contract, such sum as will amount to 3.00% of the value of contract.

The Performance Security Deposit shall be collected as per Bank standard and has to be deposited within 5 (five) days of issuance of work order. The Performance Security Deposit shall be forfeited in full in case the vendor does not perform as per contract satisfactorily within the stipulated date mentioned in the award letter or cancel the contract. The Performance Security Deposit shall be refunded on demand after the end of defect liability period.

1.19. Award to selected vendor

The Bank at its sole discretion may award the contract to a single bidder. However, The Bank reserves the right to split the works among two or three vendors. In that case, the bidders at L-2 & L-3 positions shall have to match the lowest rates before acceptance of the bid. The orders shall be divided in the following manner:

In case of split between 2 bidders: 60% to L-1 bidder, 40% to L-2 bidder at the lowest rates. In case of split into 3 bidders: 50% to L-1 bidder, 30% to L-2 bidder and, 20% to L-3 bidder at the lowest rates.

1.20. Dispute Resolution

Bank and the selected bidder shall make every effort to resolve amicably, by direct informal negotiation, any disagreement or dispute arising between them under or in connection with this RFP and subsequent contract. If after 30 days from the commencement of such informal negotiations, Bank and the selected bidder have been unable to resolve amicably a contract dispute; either party may require that the dispute be referred for resolution by formal arbitration.

All questions, disputes or differences arising under and out of, or in connection with the contract, shall be referred to sole Arbitrator appointed by Bank and the award of the sole arbitrator shall be final and binding on the parties. The arbitration and reconciliation act 1996 and revisions, if any, thereof, shall apply to the arbitration proceedings and the venue of the arbitration shall be at Kolkata only.

1.21. Other disciplines

- **1.21.1.** GST, Service Tax or any other tax on material or on finished work like Works Contract Tax, Turnover Taxes etc. in respect of this contract shall be payable by the Contractor and the Bank will not entertain any claim whatsoever in this respect.
- **1.21.2**. Delay in submission of any part arising due to postal or any other irregularities at any stage will not be considered. The Bank will not be responsible for any damage in transit in case of postal delivery / delivery through courier service or otherwise.
- **1.21.3**. All tenders in whom any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.

Page 10 of 50

Dated: 24/02/2022

- **1.21.4**. The acceptance of tender will rest with THE WEST BENGAL STATE COOP. BANK LTD. Which does not bind itself to accept the lowest or any tenders and reserves to itself the right to reject any or all the tenders received without assigning any reason/s thereof.
- **1.21.5**. In case the date of opening of tenders is declared as a holiday, the tenders will be opened at the same time on the next working day.
- **1.21.6**. Conditional Tenders will be summarily rejected.
- **1.21.7**. Defects liability period shall be as per memorandum. It must be realized that this period is for exposure of "Latent Defects". The DLP commences from the certified that of virtual completion, issued jointly by the bank's Premises Department & the Architects.
- **1.21.8**. After opening the technical and commercial bids offer on the standardized conditions as depicted vide the tender document, no correspondence will be entertained.
- **1.21.9**. In regards to Transportation & Lifting Material, please may note that the rates quoted should include cost of transportation, carting, wastages and Lifting for all leads, night works etc
- **1.21.10**. At the sole discretion of the Bank, the PO / LOA may be issued phase-wise.
- **1.21.11**. The bank is not bound to award all the site projects to single Contractor / Vendor and subsequent project awards will be dependent on the performance of the contractor for projects awarded.
- **1.21.12**. Prior to opening of Commercial bid, THE WEST BENGAL STATE COOP. BANK LTD. / Deputed Architect at their discretion may inspect the on -going/completed works of the Contractors as well as obtain confidential report from the concerned employers.
- 1.21.13. The bid of tenders who do not full fill the above criteria will summarily be rejected.
- **1.21.14**. The Bank also reserves to itself the right of accepting the whole or any part of the tender and the tenderers shall be bound to perform the same at the rates quoted.

1.22 PAYMENT TERMS:

The payment will be made after hand over of site possession post completion of the awarded work by the Vendor to the satisfaction of the Project Architect/Bank and after JOINT MESEAUREMENT of the work at site in presence of the Vendor, the Project Architect and the Bank. Additionally, the Performance Security Deposit and 50% of the amount deducted from the interim bill, if any, to be released after the of defect liability period.

Section 2:- OBJECTIVE, SCOPE AND LODGEMENT OF THE RFP AND GENERAL RULES & INSTRUCTIONS FOR THE GUIDANCE OF THE TENDERER.

2. Objective:-The objective of this RFP is to call responses from vendors for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Cooperative Bank Ltd.:

2.1 Scope:

This RFP is for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd. The BIDDER must support both functional and technical requirements of the bank.

Dated: 24/02/2022

2.1.1 Basic Instructions To The Bidder (At A Glance)

- **A**. The BIDDER is expected to have read and examined all the instructions, forms, terms, and specifications in the RFP Document with full understanding of its implications. Failure to furnish all information required in the RFP Document or submission of a bid not substantially responsive to the RFP Document in every respect will be at the Bidder's risk and may result in outright rejection of the bid.
- **B.** The BIDDER is advised to strictly adhere to the Annexure provided for that purpose in this document. Any deviation in this matter will lead to disqualification of the RFP.
- C. Procedure / Instructions for Submission of Bid
- 1) RFP must be filled in both Technical-cum-Eligibility and Commercial and uploaded in the website mentioned above.
- a. Technical bid as directed below in Section E and should be uploaded in the website on or before specified date and time. Please note that the rates **should not** be indicated in the Technical bid to avoid rejection. Only commercial bid should indicate rates.
- b. Commercial bid as directed below in Section F and should be uploaded in the website on or before specified date and time.
- 2) Relevant certificate / documents should be attached.
- 3) Notwithstanding the above, offers made by email, telex, fax, telephone and / or any other mode shall immediately disqualify the BIDDER.

D. Earnest Money Deposit/Performance Security Deposit:

Giving cognizance to Office Memorandum No.F.9/4/2020-PPD dated 12th November,2020 of Government of India, Ministry of Finance, Department of Expenditure Procurement Policy Division, no Earnest Money is required to submit with the Tender. However the bidders have to submit declaration as per Annexure-C. More fully, upon acceptance of the bids, the successful Bidder must submit **Performance Security Deposit** within 5 days of awarding the contract in favour of **The West Bengal State Cooperative Bank Limited** equivalent to 3% of the value accepted provided,

• The Performance Security Deposit shall be forfeited if the awarded vendor cancels the contract during the period of bill validity or fails to perform in accordance with the work contract.

E. Technical Bid:

1) The technical bid should be uploaded as per details provided in the RFP document. In addition, the printed copy of Technical Bid also should be submitted at the Head Office in a bound form and all pages continuously and serially numbered in one lot as one document. Brochures/leaflets etc. should be submitted in the bound document and not

Dated: 24/02/2022

in a loose form. BIDDER must ensure that all the documents uploaded / submitted in hard copies are sealed and signed by the authorized signatory and properly indexed.

- 2) The printed copy of Technical & Eligibility bid proposal as given in Annexures, neatly typed on the letterhead of the BIDDER, duly filled in, signed and complete in all respect including annexure for detailed specifications of equipment etc. as directed.
- 3) The bids shall inter alia include detailed technical specifications of all the products in brochure or written form for specific items as per the mention in the BOQ details. These brochures shall be used for technical evaluation of the bids and in their absence the bids may not be evaluated. The Bid shall include the details of all the goods and services and include one-year warranty and maintenance support for a period of three (3) years on monthly/quarterly basis specifically for the OFF THE SHELF procured items like AC, Fans, Light Fixtures, Modular Furnitures, Chairs, CCTV with allied units etc as applicable.
- 4) The Technical Bid submitted in response to this RFP Document along with the supporting material, will become the property of the Bank.

[For further information may please refer CI- 1.10 in Section 1]

F. Commercial Bids:

- 1) Bid Rates as per the format enclosed in **Annexure 1**. The BIDDER shall indicate the Rates, Terms of Reference of which are given in the Technical Specifications.
- 2) The details of Rate Schedule for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV etc works under all the components of this RFP for which the BIDDER is intending to quote.
- 3) The Commercial Bid must be as per the BoQ provided along with the RFP.
- 4) The taxes will be extra as per prevailing rates at the time of billing during the contract.

G. Language of Bids:

The Bids prepared by the BIDDER and all correspondence and documents relating to the Bids exchanged by the BIDDER and the Bank, shall be written in the English Language, provided that any printed literature furnished by the BIDDER may be written in another language (Devnagari) so long as it is accompanied by an English version in which case, for purposes of interpretation of the Bid, the English version shall govern.

H. Bid Currency and Related:

- 1) Rates should be quoted in Indian Rupees (INR) only.
- 2) The rates quoted should be excluding taxes. Taxes should be mentioned separately in columned form.

Dated: 24/02/2022

I. Validity:

The Bids shall remain valid for 180 days from the last date of submission. The BIDDER may be required to give consent for the extension of the period of validity of the bid beyond initial 180 days, if so required by the Bank, in writing. Refusal to grant such consent would result in rejection of bid. However, any extension of validity of bids will not entitle the BIDDER to revise/modify the bid. The decision of the Bank in this behalf will be final, conclusive, and binding on the BIDDER.

J. Modifications and Withdrawal

- 1) The bid submitted may be withdrawn or resubmitted before the expiry of the last date of submission by making a request in writing to the Managing Director of the Bank to this effect and after receiving written consent from the Bank.
- 2) No BIDDER shall be allowed to withdraw or modify the bid after the deadline for submission of bids.

K. Documents To Be Submitted Along With The Technical Proposal:

- a. Valid Trade License
- b. GST Registration Certificate.
- c. Companies IT Returns for Last Three Years i.e 2018-2019, 2019-2020 and 2020-2021.
- d. Manufacturer Authorized Form
- e. Audited Balance Sheet & Profit & Loss for period mentioned in eligibility criteria.
- f. Client List in India for similar work profile.
- g. Vendor Profile, Infrastructure of firm / Company / Partners, Organization Chart.
- h. Supply and installation Schedules to implement this project.
- i. Original RFP Documents by signing on each paper with impression of company seal.
- j. Self declaration in company's letter head stating the entity is not blacklisted anywhere for nonperformance or poor performance.

L. RFP Rejection Criteria:

Bid may be rejected for any or all of the following grounds:

- The bidder's details attached to RFP are not found as per eligibility criteria.
- > Technical and commercial offers found together.
- Non -indexed documents attached to RFP document.
- RFP submitted with false and wrong information.
- Information requested by bank for this RFP process is not found in Technical and commercial offer.
- Misconduct and influence, if any, to this RFP process by the bidder OR its representative/s will result into rejection of bid document. No further communication will be entertained in this regard.

Page 14 of 50

Dated: 24/02/2022

Section 2.2: LODGEMENT OF RFP

The response to RFP shall contain the following parts (as per Annexure A, Annexure B, Annexure C, Annexure D, Annexure E & Annexure I to 2):

- 1. "Eligibility cum Technical Proposal"
- 2. "Commercial Proposal"

All the aforesaid documents are to be submitted / uploaded at once at the time of Bid submission. A submission in a different manner, including a submission through Fax or Email, will not be accepted by the Bank, and will be summarily rejected.

2.2.1 RFP Response guidelines

- a) All responses received after the due date/time would be considered late and are liable to be rejected.
- **b)** All bid responses should be in English language.
- **c)** All responses including commercial and technical bids would be deemed to be irrevocable offers/ proposals from the Bidders and may, if accepted by the Bank, form part of the final contract between the Bank and the selected Bidder.
- d) Bidders are requested to attach / upload a letter from an authorized signatory attesting the veracity of information provided in the responses. Unsigned responses would be treated as incomplete and are liable to be rejected.
- **e)** Any Eligibility cum Technical or Commercial bid submitted cannot be withdrawn / modified after the last date for submission of the bids.
- **f)** The Bidder may modify or withdraw its offer after submission, provided that, the Bank, prior to the closing date and time, receives a written notice of the modification and revised bid or withdrawal for submission of offers. No offer can be modified/withdrawn by the bidder, after the closing date and time for submission of offers.
- **g)** By submitting a proposal, the Bidder agrees to promptly enter into an agreement (SLA) with Bank for any work awarded to the Bidder. Failure on the part of the selected Bidder to execute a valid agreement with Bank within 30 days of receiving the work order will relieve Bank of any obligation to the Bidder, and the Bank will be at liberty to select another Bidder based on the selection process of Bank.
- **h)** By submitting the bid, the Bidder represents and acknowledges to the Bank that it possesses necessary experience, expertise and ability to undertake and fulfill its obligations, under all phases involved in the performance of the provisions of this RFP. The Bidder represents that all utilities, manpower to be deployed by bidder in response to this RFP shall meet the proposed Service requirements of the Bank and industry standards. If

Page 15 of 50

Dated: 24/02/2022

any services, functions or responsibilities not specifically described in this RFP are an inherent, necessary or customary part of the deliverables or services and are required for proper performance or provision of the deliverables or services in accordance with this RFP, they shall be deemed to be included within the scope of the deliverables or services, as if such services, functions or responsibilities were specifically required and described in this RFP and shall be provided by the Bidder at no additional cost to Bank. The Bidder also acknowledges that Bank relies on this statement of fact, therefore neither accepting responsibility for, nor relieving the selected Bidder of responsibility for the performance of all provisions and terms and conditions of this RFP, Bank expects the selected Bidder to fulfill all the terms and conditions of this RFP. The modifications, which are accepted by the Bank in writing, shall form a part of the final contract.

- i) All RFP response documents would become the property of the Bank and the Bank also would not return the bid documents to the Bidders.
- **j)** Erasures or Alterations The offers containing erasures or alterations in the hard copies may not be considered. Unavoidable corrections or alterations, if any, should be authenticated. In case of the corrections/alteration are not properly authenticated, the offer shall be rejected.
- **k)** Requested details must be completely filled up. Correct technical information of the product being offered must be filled in. Filling up of the information using terms such as "OK", "accepted", "noted", "as given in brochure / manual/ annexure" is not acceptable. Bank may treat the offers not adhering to these guidelines as unacceptable. The proposals should be in the template that is recommended and provided in this RFP.

I) Numbering of Pages

All pages of the bid including brochures are to be numbered as Page --- (current page) of --- (total pages) in a serial along with proper index. The numbering shall be done separately for Eligibility cum Technical Bid and Commercial Bid/s, and not section-wise.

m) Authorized Signatory

The Bidder shall submit the bid authenticated by an authorized person from any of their offices in India.

n) Clarification on RFP Document

- 1. The Bidder shall carefully examine and understand the specifications /conditions of RFP, intent of the RFP and seek clarifications, if required, to ensure that they have understood all requirements/specifications/conditions/intent of RFP.
- 2. Bidders shall have the opportunity to get their doubts clarified pertaining to the RFP, prior to finalizing their responses. All questions are to be submitted to Ar. Somdev Datta, (Principal Architect), D.Subhas and Associates, D 20/5, Karunamoyee, Salt Lake, Sector-2, Kolkata-700091, E-mail: dsubhas.kol@gmail.com, not later than the query submission date mentioned in this RFP and as advised by Bank from time to time.

Page 16 of 50

Dated: 24/02/2022

3. The Bidder in all such cases must seek clarification in writing in the same serial order as that of RFP by mentioning relevant page number and clause number of RFP on or before the timeline prescribed in this RFP under "Important Dates & Schedule of activities".

Respondents are required to direct their communication towards clarification/additional information, errors and omission related to this RFP to:

The Managing Director, The West Bengal State Cooperative Bank Ltd., 24A, Waterloo Street, Kolkata - 700069

a) Validity of Bids

The bids shall remain valid for a period of 180 days from the last date of submission of bids to the Bank.

p)Submission of Bids

- 1. The response should be submitted on or before the last date & time of submission mentioned in "Important Dates and Schedule of Activities". If the last date of submission of RFP response is declared as a holiday for any reason, then the last date for submission of RFP response will fall on the next working day. Documentary proof, wherever required, in terms of the RFP should be enclosed.
- 2. The Bids / Proposals should be complete in all respects and contain all information asked for in this document. It is mandatory to submit the details in prescribed formats duly filled in, as part of the offer. The Bank, at its discretion, may not evaluate a bid in case of non-submission or partial submission of details. The proposal must be submitted in an organized and structured manner.
- 3. For participation in the opening of eligibility cum technical and commercial bid, the Bidders' representatives are required to carry authorization letter from their authorized signatories, if the person attending the bid opening process is other than the authorized signatory.
- 4. The bid should constitute two separate parts. The response should be organized and submitted in the following manner:

Part I - Eligibility cum Technical Bid:

The Eligibility cum technical Bid containing the response to requirements for the services and other applications is to be uploaded in the respective section of the RFP.

Eligibility cum Technical Bid must contain followings (with scanned copies of related documents):

1. Duly filled in Covering letter, eligibility criteria compliance, other information as detailed in Annexure A, including supporting credential/ letters/testimonials from relevant organizations or copies of documentation from clients or purchase order copies certifying compliance. Non-compliance of even one condition mentioned in the eligibility

Dated: 24/02/2022

criteria may render the bid ineligible. Hence, Bidder is required to provide proof for each of the points for eligibility evaluation. The proof provided must be in line with the details mentioned in Annexure A. In case any credential detail mentioned in Annexure A is not accompanied by relevant proof documents, the said Bid offer will not be considered for evaluation. There is no restriction on the number of credentials a Bidder can submit.

- 2. This bid must contain Pay Order/Demand Draft of Rs.4,000,00 (Rupees Four Thousand Only) towards application fee/cost of form (non-refundable). Scanned copy of such demand draft/pay order is to be uploaded in the website.
- 3. Compliance of RFP terms and conditions -Annexure B
- 4. Bid Security/EMD Declaration as per Annexure-C.
- 5. Declaration regarding blacklisting as per Annexure-D.
- 6. Undertaking regarding one year warranty & three year's maintenance as per Annexure-E.
- 7. Letter with details of authorized signatories/Power of Attorney's in the name of the authorized signatories who can represent the Bidder with regard to the obligations under the RFP or contract.
- 8. Unpriced Commercial template as per **Annexure 1**: The Bidder should also include the masked (without prices) commercial bid in the Eligibility cum technical bid. The masked commercial bid which would be submitted as part of the Eligibility cum Technical bid should contain price "XX" instead of actual price for all the line items. The Bidder must note that the masked commercial bid should be actual copy of the commercial bid submitted with prices masked and not the Pro-forma/format of the Commercial Offer as per Annexure 1 in the RFP.
- 9. Under no circumstances the actual commercial bid (without masking) should be kept in Eligibility cum Technical Bid Covers. The placement of hard copy of commercial bid in eligibility cum technical bid covers will make the bid liable for rejection. However, commercial bid with duly masked prices need to be placed in technical bid.
- 10. All the technical supporting documents should be submitted electronically uploading in the website mentioned above on or before the final date & time of bid submission. The documents in hardcopy (except that of commercial bid indicating price) shall also to be submitted in the tender box placed at the 3rd floor of the Bank subscribing the project name.

Part II - Commercial Proposal

The bidder will be required to submit commercial bids as a part of the bid submission as per Annexure 1.

Commercial proposal should give all the relevant price information. No information should be kept blank. Offer should be in strict conformity with the format as given in **Annexure-1**. Please note as under:

1. The best and firm price should only be quoted (as per **Annexure 1**)

Dated: 24/02/2022

- 2. The prices and other terms offered by the bidder must be firm for an acceptance period of 180 days from the last date for submission of offer document to the Bank.
- 3. The price must be quoted per unit basis with applicable taxes extra in the format provided in Commercial Bid.
- 4. There will be no price escalation during the contract period and any extension thereof. Bid submitted with an adjustable price quotation will be treated as non-responsive and will be rejected.
- 5. The price should be uniform throughout the tenure of the contract. Bid submitted with adjustable price quotation will be treated as non-responsive and will be rejected.
- 6. The prices offered shall be on a fixed price basis and should not be linked to variables like foreign exchange rate etc. The Bank shall not be responsible for any fluctuations in exchange rate or any other expenses factored in the pricing till the validity period of the contract.
- 7. The Bank ascertains and concludes that everything as mentioned in the RFP documents published for the Bidders and responded by the Bidders have been quoted for by the Bidders, and there will be no extra cost associated with the same other than the cost quoted by the Bidders.
- 8. It will be responsibility and liability of the selected bidder to levy applicable Taxes & duties in terms of Government guidelines from time to time. All taxes should be mentioned at the prevailing rates at the time of bid submission. Any variations in the taxes quoted by the Bidder which are not in line with the applicable rates prevailing for such supply /services may entail rejection of the Bidders proposal.
- 9. Please note other important clauses of this RFP while quoting for the services requested.
- 10. The Bidder must provide and quote for all products and services as desired by the Bank as mentioned in this RFP. Any products / services not proposed to be provided by the Bidder will result in the proposal being incomplete, which may lead to disqualification of the Bidder.
- 11. Any contradictory information, conditional pricing, exclusion of any item in TCO (Total Cost of Ownership) computation or error in computation may lead to summary disqualification of the bid as per sole discretion of Bank.
- 12. Final contract will be awarded as per the Public Procurement of Govt of India (Preference to Make in India) order on dated 15th June 2017 issued by Ministry of Commerce and Industry, Department of Industrial Policy and Promotion (reference no. P.45021/2/2017-B.E.-II).

q) Overall Bid

Both Technical / Eligibility Criteria as well as Commercial Bids are to be submitted at a time. Please note that in the following cases Bank in its absolute discretion may reject the Bids:

Dated: 24/02/2022

- 1. Submission of Bid after the time stipulated in this RFP Document.
- 2. Misleading/incomplete information or documentation.
- 3. Price information provided anywhere other than 'Commercial Bid'.
- 4. Improper Demand Draft/Banker's Cheque for Application Fee or for Performance Security Deposit
- 5. Any conditional offer or assumption with or without information to the Bank
- 6. Bidder is not meeting eligibility or technical criterion specified in this RFP
- 7. Bid submission through Fax or email
- 8. Submission of more than one bid. In case, bidder is submitting more than one bid, all the bids submitted by the bidder shall be disqualified.

2.3 Related Parties

In the following circumstances Bank will have discretion to reject the entire bid or accept the bid with some conditions stipulated by bank –

- 1. Bids submitted by holding company and its subsidiary.
- 2. Bids submitted by one or more companies having common director/s.
- 3. Bids submitted by one or more partnership firms / LLPs having common partners.
- 4. Bids submitted by one or more companies in the same group of promoters/management.
- 5. Any other bid at the sole discretion of the Bank which is in the nature of multiple bids.

2.4 Registration of RFP Submission

Upon receipt of a submission, the Bank shall register the response. Incomplete or partial or faulty submissions shall be rejected forthwith.

All submissions, including any accompanying documents, shall become the property of the Bank. Hence, submission of response to the RFP shall be deemed as respondents' license and grant of all rights to the Bank to reproduce the whole or any portion of their submission for the purpose of evaluation, notwithstanding any copyright or other intellectual property rights that may subsist in the submission or accompanying documents.

The RFP document is confidential and is not to be reproduced, transmitted, or made available by the Recipient to any other party without Bank's express written permission. The RFP document is provided to the Recipient based on the undertaking of confidentiality given by the Recipient to the Bank. The Bank may update or revise the RFP document or any part of it. The Recipient acknowledges that any such revised or amended document received is subject to the same terms and conditions as original and subject to the same confidentiality undertaking.

2.5 Format for queries

Bidder should use the following format for their above-said communication -

Request	for	proposal	(RFP)	for	selection	of	vendor	for	providing	Composite	Interior	Furnishing	Works	including	Civil,
Electrica	I, HV	AC, CCTV	works	at K	ASHINAGA	R B	RANCH	pren	nises of Th	e West Beng	jal State	Co-operativ	e Bank	Ltd.	

Dated: 24/02/2022

	1.	Name	of the	Respo	indent/	'Bidder
--	----	------	--------	-------	---------	---------

2. Date:

3. Contact Person from Respondent/Bidder in case of need:

Name: Designation:

E-mail ID: Tel / Mobile No:

Sr. No	Page no of RFP	Clause No	Original RFP Clause	Bidder's Query
1				<
2				9,

All queries/clarifications requested must be in writing and should be forwarded by the authorized person of bidder in the above format in MS-EXCEL workbook. The queries may be e-mailed to: dsubhas.kol@gmail.com with a copy to ledept@wbstcb.com with the queries enclosed as attachment in above mentioned format.

Bank shall not answer any communication initiated by respondents after the last date of query submission. Bank may in its absolute discretion seek additional information or document from any respondents after the RFP closes for supplementary information and better evaluation. All such information and document provided will form part of that Respondent's response.

Bank is not bound to reply to queries not pertaining to this RFP. Replies shall be at Bank's discretion. Bank's replies shall be final and acceptable to all bidders.

SECTION-3 Important Notes

1. The RFP document contains statements derived from information believed to be reliable at the date obtained; but does not purport to provide all of the information that may be necessary or desirable to enable an intending contracting party to determine whether or not to enter into a contract or arrangement with the Bank in relation to the supply and services. Neither the Bank nor any of its employees, agents, contractors, or advisers gives any representation or warranty, express or implied, as to the accuracy or completeness of any information or statement given or made in this RFP document.

2. Subject to any law to the contrary and to the maximum extent permitted by law, the Bank and its officers, employees, contractors, agents and advisers disclaim all liability from any loss or damage (whether foreseeable or not) suffered by any person acting on or refraining from acting because of any information including forecasts, statements, estimates or projections contained in this RFP document or conduct ancillary to it whether or not the

Dated: 24/02/2022

loss or damage arises in connection with any negligence, omission, default, lack of care or misrepresentation on the part of the Bank or any of its officers, employees, contractors, agents or advisers.

The Bank and its officers, employees, contractors, agents and advisers disclaim any liability, pecuniary or otherwise that may accrue or arise from any loss or damage (whether foreseeable or not) suffered by any person acting on or refraining from acting due to the information contained herein and/or by virtue of copying, adopting, reproducing, any of the material which may be the copyright material or any other Intellectual Property of a third party who may claim ownership of the same.

- 3. All costs and expenses incurred by Respondents in any way associated with the development, preparation, and submission of responses to this RFP, including but not limited to attendance at meetings, discussions, presentations, demonstrations etc. and providing any additional information required by the Bank, shall be borne entirely and exclusively by the Respondent.
- 4. No binding legal relationship will exist between any of the Respondents and the Bank until execution of a contractual agreement by duly authorized signatory of the Bank and the bidder.
- 5. It is the Recipient's responsibility to conduct necessary investigation and analysis regarding any information contained in this RFP document and the meaning and impact of that information.
- 6. Indicative evaluation process has been specified in **Section 4** of this document. However, as a condition of responding, each Recipient acknowledges and accepts that the Bank in its absolute discretion may apply whatever selection criteria it deems appropriate in finalizing the vendor.
- 7. Should the Recipient be awarded the contract, the contents of its Response to RFP, including any material submitted in the Response to RFP, will be incorporated by reference or integrated as obligations in the formal Service contract and / or Service Level Agreement (SLA), to be drafted by Bank.
- 8. It is the objective of the Bank to obtain the best services possible by giving fair and impartial consideration to all recipients invited to accept RFP for submitting Response to RFP. Every potential Recipient will be considered on fair and equal basis.
- 9. Each Recipient should notify the Bank of any error, omission or discrepancy found in this RFP document. Notification should be made to contact details provided in Section **2.2.1.n**-Clarification on RFP document.
- 10. The purpose of this RFP is to provide necessary information to the potential Bidders, who qualify and intend to submit their response to the RFP. Though the RFP has been prepared with sufficient care and diligence with an endeavor to provide all required information to the potential Bidders, Bank acknowledges the fact that the potential Bidders may require more information than what has been provided in the RFP. Accordingly, in such cases, the potential Bidder(s) may seek additional information/clarification required from Bank. Bank reserves the right to provide such additional information/ clarification at its sole discretion either one to one basis to the bidder or

Dated: 24/02/2022

clarify it to all the potential bidders as deem fit. In order to respond to the RFP, if required, and with the prior permission of Bank, each Bidder may conduct their own study and analysis, as may be necessary, at their own cost and expense ensuring they adhere to the timelines mentioned in the RFP. No additional time will be provided to Bidders to undertake any analysis or study.

- 11. Bank makes no representation or warranty and shall incur no liability, whatsoever, under any law, statute, rules or regulations on any claim by any bidder or any potential Bidder may make in case of failure to understand the requirement and respond to the RFP.
- 12. Bank may, in its absolute discretion, but without being under any obligation to do so, update, amend, replace, modify or supplement the information given in the RFP and specify additional requirements or cancel the RFP at any time without assigning any reason thereof and without any prior notice.

The recipient of the RFP must apply its judgment, care, and conduct its own investigation and analysis regarding any information contained in the RFP document including but not limited to the scope of work, Deliverables and timeliness, etc.

- 13. It is the Bidder's responsibility to:
 - Properly understand and examine the RFP;
 - Examine all other information available on reasonable inquiry relevant to the risks, contingencies and circumstances affecting its response;
 - satisfy itself as to the completeness, correctness and sufficiency of its response;
- 14. A recipient will, by responding to the Bank's RFP with a submission, be deemed to have accepted all the Terms & Conditions as stated in this RFP document in totality without any condition whatsoever.
- 15. The information contained in this RFP is strictly confidential. The Bidder shall not share this information with any other person/party not connected with responding to the RFP or even with other potential Bidders. The information contained in this RFP or subsequently provided to Bidder(s), whether verbally or in writing by or on behalf of Bank shall be subject to the terms and conditions set out in this RFP and any other terms and conditions subject to which such information is provided.
- 16. Any form of canvassing/lobbying/influencing/cartelization, etc. by the Bidder may result in disqualification of such Bidder.
- 17. The Contractors should quote in figures as well as in words the rate and amount tendered by them. The amount for each item should be worked out and requisite totals given.
- 18. The quantity may vary depending upon the requirements. The agreed rate will be valid for 1 (one) year from the date of awarding the contract.

Dated: 24/02/2022

- 19. Power and Water (if needed) will not be provided by the Employer. The contractor has to make the arrangement for the same. Sub-meter shall be provided by the contractor at his own cost. The contractor shall have to make his own arrangements to house his labour and staff for their services and at no cost use the client's premises to house his staff & labourers.
- 20. The contractor shall give a list of relative working (in case so) with the bank along their designations and addresses.
- 21. No Employee of the bank is allowed to work as a contractor for a period of two years of his retirement from bank service, without the previous permission of the bank, This contract is liable to be canceled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the Bank.
- 22. The tender of the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may had/have tendered for the same work. Failure to observe this condition would render tenders of the contractors tendering as well as witnessing the tender liable to summary rejection.

SECTION-4 Evaluation and comparison of Bids

70% weightage will be awarded for Technical Evaluation and 30% weightage will be awarded for Commercial Evaluation.

Technical Bid will be assigned a Technical Marks (Tm) out of a maximum of 100 point. The Scoring Model is provided helow:

SI No	Evaluation criteria	Score	Maximum Technical
INU	000		Marks (Tm)
1	Past Experience	Project with composite project works as per	
	(as per Technical criteria set above)	the scope defined from minimum 6 projects in	
		last 7 years ending on 31.03.2021.	
	*Attach Documents / Upload documents	Upto 1000 sq ft of branch space as Built Up area for	
		each site size – 3 Marks	35
		>1000.00 sq ft upto 1500.00 sq ft of branch	
		space as Built Up area for each site size- 5 Marks	
		>1500.00 sq ft of branch space as Built Up area for	
		each site size- 7 Marks	
2	Annual turnovers of Rs.95.00 Lakhs and	FOR CUMULATIVE	
	above per year & for the last 3 years	2.85 Cr to 4.00 Cr — 5 Marks	
	ending on 31.03.2021.	>4.00 Cr to 7.00 Cr — 10 Marks	20
	*Attach Documents / Upload documents	>7.00 Cr - 20 Marks	

		<u></u>	oated: 24/02/2022
3	Support service provided for projects upto min 1 year post completion of the project	5 Projects – 5 Marks 10 Projects – 10 Marks	
	works at the site location till Defect Liability	15 + Projects – 15 Marks	15
	Period	•	
	**Attach Documents / Upload documents		
4	Legal Structure of the company	Partnership/Proprietary – 5 Marks	
	**Attach Documents / Upload documents	Engineer's Co-operative Soc — 8 Marks	15
		Private Limited – 10 Marks	10
		Public Limited – 15 Marks	
5	Overall staff strength	>=10- 15	
	(Project Management/ Development/	>15 - 30 - 13 Marks	15
	Quality Assurance /Implementation/	>30 – 15 Marks	13
	Operations)		
		Total	100

The technical qualification cut-off marks would be 70% (70 marks out of 100) to be eligible for commercial evaluation. Scoring below the same would not be considered for commercial bid opening. However, the Bank reserves the right but not the obligation to reset the qualifying marks below 70, if the eligible qualified number of bidders is found less than three.

The technical marks (Tm) would then be converted into technical scores (Ts) by normalization on a scale of 100, with highest score being normalized to 100 and the rest being awarded on a pro-rata basis (rounded off to two decimal places). Such normalized scores (Ts) would be considered for the purpose of QCBS based evaluation, explained in section below.

The commercial scores would also be normalized on a scale of 100, with lowest score being normalized to 100 and the rest being awarded on a pro-rate basis (rounded off to two decimal places). Such normalized scores (Fn) would be considered for the purpose of QCBS based evaluation, explained in section below.

Final Evaluation Criteria - Quality and Cost Based Selection (QCBS)

Composite Score (S) = Ts * 0.7+ Fn * 0.3

The Bidder with the highest Composite Score(S) would be awarded the contract.

Dated: 24/02/2022

Annexure - A

GENERAL & TECHNICAL INFORMATION PART- I

TECHNICAL BID (Company Profile)

SI No	PARTICULARS OF THE COMPANY	
1	Name of the Company	
2	Full Address	. * ¢
3	Telephone & Mobile No.	
4	Fax No	09/11
5	E-Mail Address	,0,
6	Constitution of the firm (whether Proprietary / Partnership / Pvt Ltd. / Public Ltd.	
7	Name of the Proprietor / Partner / Managing Director	6.0
8	Year of Establishment	<i>1</i> 00.
9	Registration with the Registrar of Co	70,
10	Name(s) of Contact Person (s) with address)
11	Registration with Tax Authority a. PAN No. b. GST No. (Attach latest IT Return filed copy & GST Return filed copy)	
12	Furnish copies of audited Balance Sheet and Profit & Loss Account for the last 3 years Turn over 2018-19, 2019-20 and 2020-21	
13	Name & address of the Banker, Nature of facilities availed (if any) (Attach Banker's opinion letter on the conduct of the account).	
14	Whether an empanelled vendor for RBI / SBI/ Nationalized Banks/ State Co-op Bank/DCCBs	

2/0	DETAILS OF REI	GISTRATION WITH OTHER BANKS
1	Name of the Bank	
2	Total No. Of Projects handled with	
	details of Area in Sq ft and Project	
	Cost in Rs Lakhs	
3	Since when empanelled	

Place :

Date:

AUTHORISED SIGNATORY

Dated: 24/02/2022

Annexure - A contd.

PART II TECHNICAL BID (PRODUCT PROFILE)

SI No	Particulars Particulars			Bider's res	ponse
1	Certification whether the system conform	ms			
	to I.S / ISO 9001 / EN29001, QUALITY SYSTI	EM			
2	Total No. Of Projects handled with details	of			
	Area in Sq ft and Project Cost in Rs Lakhs				
3	LIST OF ORDERS EXECUTED IN LAST 03 YEAR	RS			
4	ORDER DETAILS (Order copy should be	e			
	enclosed]				0.0.
SI No	Name of the Bank or other organizations		Date of Pr	oject Completion	
				4,0,	
		An	nount .	Area (sq ft)	Total involvement
) \	<u>(like civil, elec ,</u>
			CO		<u>composite etc)</u>
	×				
	CX3				
	00/10				

	TURNOVER DURING THE LAST THREE YEARS				
SI No	Year	Amount (Rupees)			
1	2018-2019				
2	2019-2020				
3	2020-2021				

Place : Date :

AUTHORISED SIGNATORY

Dated: 24/02/2022

Annexure - A contd.

PART III

TECHNICAL SPECIFICATIONS

<u>APPROVED LIST OF NOMINATED MANUFACTURERS / SUPPLIERS OF MATERIALS - CIVIL INTERIOR FURNISHING</u> WORKS

Note:

- 1. NO DEVIATION SHALL BE PERMITTED.
- 2. Wherever Contractor proposes to use "equivalent" makes (other than specified), the same shall be done only after prior approval from Architect. Architect may consult the Employer before giving approval, Time due to this will be on contractor's account and no claims will be entertained.
- 3. All material to be used shall be of first quality unless otherwise specified.
- 4. All sizes of materials mentioned shall be finished sizes.

Item Description	1. Approved Brands / Manufacturers
PLYWOOD	Green ply Ecotech / Century Sainik / SATABDI / SABURI
Medium Density Particle board (exterior grade)	GREEN PANELMAX / EQUIV
Block Board	Century, Durian, Prima / Equiv
HDFR	Anutone / E-Board // Cement - Bison // Ramco Hilux
Gypsum Boards	India Gypsum, Lafarge Gypsum
Laminates 1mm & 1.5mm	Century, Green - NEWMIKA, Royal Crown, Signature
Soft Board.	Jolly Board
Adhesives	Fevicol SH, Araldite of Ciba Geigy, Silicon Sealants
Paint	I.C.I. (Dulux - Duco), British paints (Luxol.), Asian paints
Cement Paint	Snowcem, Nitcocem, Sandtex, Nitocotex
Wood Preservative	Bison by British paints, Woodguard, Termiseal.
Vitrified Ceramic Tiles	Johnson, Euro, NITCO, CERA, VARMORA
Glass	ModiFloat, Asahi, Saint gobain
Cement	ACC, ULTRATECH, Ambuja, DALMIA
Writing Board	White Mark, AlkoSign, Altop
Mirror	Modi, Asahi,
Aluminum Sections	Jindal, Indal, HINDALCO
White boards	White Mark, Alkon, Altop., Kings India Inc.
Metallic laminate	Greenlam, Century, Mica, Royal Touche
Al. cables, Cu. Cables, flexibles	R R Kable, Polycab, FINOLEX
Mineral Fibre ceiling	Armstrong, AMF, USG, Nittobo, Minwool
Door Closure	Godrej / Archi / Sterling(Heavy Duty)
Floor Spring	Godrej / Archi / Sterling(Heavy Duty)
Door Lock / Door Handles	Godrej / Hafela / Hettich / Kich / Doorset / Acme
Drawer / Storage Handles	Neki / Hassley / EGL
Drawer / Storage lock	Godrej / eqv
Night latch	Godrej / eqv
Screws	GKW / Nettle fold
Hinges	CIEF / eqv

Note:

• All materials used shall be of I.S.I grade wherever applicable.

Dated: 24/02/2022

- BIDDERS ARE REQUESTED TO VISIT THE SITE PREMISES PRIOR TO SUBMISSION OF QUOTES.
- NO ADDITIONAL COST WILL BE PAID TO FINISH OR COMPLETE ONE PARTICULAR JOB MENTIONED IN BOQ / DETAILS.

LIST OF APPROVED MAKES OF MATERIALS (FOR ELECTRICAL WORKS ONLY)

Note:

- 1. NO DEVIATION SHALL BE PERMITTED.
- 2. Wherever Contractor proposes to use "equivalent" makes (other than specified), the same shall be done only after prior approval from Architect. Architect may consult the Employer before giving approval, time due to this will be on contractor's account and no claims will be entertained.
- All material to be used shall be of first quality unless otherwise specified.
- 4. All sizes of materials mentioned shall be finished sizes.

1	CHANGE OVER SWITCH	HPL / HAVELLS / ABB / INDDASIAN
2	MCCB / MCB / MCI	LEGRAND / HPL / INDOASIAN / HAVELLS
3	RCCB / RCBO	LEGRAND / HPL / INDOASIAN / HAVELLS
4	MCB DB BOX	LEGRAND / HPL / INDOASIAN / HAVELLS
5	CABLE	POLYCAB / FINOLEX / RR
6	CABLE SOCKET	DOWELL'S / 3D
7	PVC PIPE & ACCESSORIES (MEDIUM)	POLYCAB / AKG / HARSH
8	WIRE (ZHFR)	POLYCAB / FINOLEX / RR
9	MODULAR ACCESSORIES	LEGRAND / CRABTREE / HPL / HAVELLS / INDOASIAN
10	FAN	CROMPTON / HAVELLS / BAJAJ
11	LIGHT FITTING	PHILIPS / WIPRO / THORN
12	TELEPHONE WIRE	POLYCAB / FINOLEX / RR
14	SMOKE DETECTOR	HONEYWELL / JOHNSON / SIEMENS

LIST OF APPROVED MAKES OF MATERIALS (FOR HVAC & CCTV WORKS ONLY - DEM COMPANY)

HVAC (AIR CONDITIONING)

DAIKIN / VOLTAS / MITSUBISHI / BLUE STAR / CARRIER

CCTV VICOM / HIKVISION / SDNY / HONEYWELL

Note:

- 1. NO DEVIATION SHALL BE PERMITTED.
- 2. Wherever Contractor proposes to use "equivalent" makes (other than specified), the same shall be done only after prior approval from Architect. Architect may consult the Employer before giving approval, time due to this will be on contractor's account and no claims will be entertained.
- 3. All material to be used shall be of first quality unless otherwise specified.
- All sizes of materials mentioned shall be finished sizes.

Place :	
Date:	

AUTHORISED SIGNATORY

Dated: 24/02/2022

Annexure- B : Compliance Certificate

To The Managing Director, The West Bengal State Cooperative Bank Ltd. 24A, Waterloo Street Kolkata – 700069

Date:

Dear Sir.

Re: Bank's RFP No. WBSCB/TENDER/KASHINAGAR/Interior/1.1 dated 24/02/2022 for Selection of Vendor for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd.

Having examined the tender document including all annexures, the receipt of which is hereby duly acknowledged, we the undersigned offer to Selection of vendor for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR Branch in conformity with the said RFP document and in accordance with our proposal and the schedule of prices offered in the price bid and made part of this tender, we confirm as under:

- 1. If our bid is accepted, we undertake to provide the supply and services within the scheduled time-lines as stipulated in this RFP.
- 2. We confirm that this offer is valid for 180 days from the last date for submission of tender document to the Bank and consent that the same may be extended by the Bank for reason.
- 3. This bid together with your written acceptance thereof and your notification of award, if shortlisted, shall constitute a binding contract between us.
- 4. We undertake that in competing for and if the award is made to us, in executing the subject contract, we will strictly adhere to the security norms prescribed by RBI/NABARD or by any appropriate agency.
- 5. We agree that Bank is not bound to accept the lowest or any bid that Bank may receive.
- 6. We have never been barred/black-listed by any regulatory /statutory authority or any employer in India.

Yours faithfully

SIGNATURE

(Name & Designation, seal of the firm)

Dated: 24/02/2022

Annexure- C

Bid Security/EMD Declaration

Ref No: Date:

To
The Managing Director,
The West Bengal State Cooperative Bank Ltd.
24A, Waterloo Street
Kolkata – 700069
Sub:- Declaration on Bid Security/EMD

Dear Sir.

Ref: Bank's RFP No. WBSCB/TENDER/KASHINAGAR/Interior/1.1dated 24/02/2022 for Selection of Vendor for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd-Bid Security Declaration.

We **organization name**> understand that as per the Govt. of India circular no F.9/4/2020-PPD dated 12th November 2020, Bid Security/ Earnest Money Deposit is not required.

We hereby also understand and confirm that we will be suspended for the period of 2 years from the date of issue of RFP, if we:

- 1. Withdraw or modify this RFP before processing
- 2. Withdraw or modify this RFP after processing but before acceptance of 'work order' to be issued by the Bank.
- 3. Withdraw or modify this RFP before furnishing Performance Security Deposit as per requirement of this RFP.
- 4. Violate any of the provisions of the terms and conditions of this RFP.

Yours faithfully,

AUTHORIZED SIGNATORY

(Name & Designation, seal of the firm)

For and on hehalf of:

Dated: 24/02/2022

Annexure- D

Declaration regarding blacklisting

Ref No: Date:

To
The Managing Director,
The West Bengal State Cooperative Bank Ltd.
24A, Waterloo Street
Kolkata – 700069
Sub:- Declaration regarding blacklisting

Dear Sir.

Ref: Bank's RFP No. WBSCB/TENDER/KASHINAGAR/Interior/1.1 dated 24/02/2022 for Selection of Vendor for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd- Undertaking regarding blacklisting.

We hereby confirm and declare that we, <organization name> is not blacklisted/de-registered/ debarred by any Government Department/ Public Sector Undertaking/ Bank/ Privet Sector/ or any other organization for which we have executed/undertaken the works or services during the last 05 (five) years.

We hereby also understand and confirm that we will be suspended for the period of 2 years from the date of issue of RFP, if the above statement is found false and even may be debarred from the project

Yours faithfully,

AUTHORIZED SIGNATORY

(Name & Designation, seal of the firm)

For and on behalf of:

Dated: 24/02/2022

Annexure- E

Undertaking regarding warranty and three years maintenance

Ref No: Date:

To The Managing Director, The West Bengal State Cooperative Bank Ltd. 24A, Waterloo Street Kolkata – 700069

Sub:- Declaration regarding warranty and three years maintenance.

Dear Sir.

Bank's RFP No. WBSCB/TENDER/KASHINAGAR/Interior/1.1 dated 24/02/2022 for Selection of Vendor for Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd- Undertaking regarding warranty and three years maintenance.

We **organization name**> hereby confirm and declare that the warranty period of the items supplied will be one year from the date of installation and we shall replace/repair the defective items on requisition within 48 hours of reporting, failing which the Bank will be in liberty to make the job done from other agency and the amount will be adjusted from the retention money or performance security deposit, as the case may be.

We hereby also confirm that we will provide 3 years maintenance service to be reckoned from the end of defect liability period.

Yours faithfully,

AUTHORIZED SIGNATORY (Name & Designation, seal of the firm)

For and on behalf of:

Dated: 24/02/2022

Annexure-1

PRICE BID DOCUMENT

		SECTION - I R FURNISHING WORK	ľ		
	INTENIO				
SL.	ITEM DESCRIPTION	UNIT	RATE (Rs.)	ДТҮ.	AMDUNT (Rs.)
1.A	PLAIN FALSE CEILING INCLUDING DROP Providing & Fixing in position Plain False ceiling in Gyp. board of standard thickness for horizontals & verticals fixed over metal Frame work as specified, finishing with paper tape and jointing compound and Application of acrylic emulsion paint to prepare finished surface including making cut outs & openings all necessary arrangement for electrical & A.C fittings as directed complete in all respects. The job is to be completed strictly as per Manufacturers specification & the Tender Technical Specification herein). This item also includes the dismantling of existing plain ceiling & disposing the same. NO ADDITIONAL MEASUREMENT SHALL BE TAKEN FOR DROP UPTO 8" IN HEIGHT. If drop width exeeds 8", additional measurement shall be considered. Rate should be inclusive of the Extra Hangers for tying the False ceiling frame to the	SUMT	Obilg	15.00	
1.B	main/True Ceiling of 10ft height, IN NEEDED ADDITIONALLY MODULAR GRID FALSE CEILING - Mineral Fiber suspended ceiling system: P & fixing false ceiling with 600x 600 mm dune micro look ceiling tile of approved make with 15mm flange stitched suspension grid system framework with Aluminum channels / eqv etc. complete in all respect & finish with proper line & level as per manufacturer specification. The level of ceiling shall be decided considering light fixtures, ceiling fans and after discussion with engineer in charge. Contractor Must Comply with the Technical Specification as in Tender while executing the Item.	SOMT		155.00	
2	WOODEN BATTEN CORNICE: Providing & fixing 75 x 50 mm WOODEN BATTEN Cornice moulding to the intersection of masonry wall and gypsum ceiling complete with LAQUARED POLISHING. The design Parten of WOODEN BEAT CORNICE shall be Approved by ARCHITECT. Cost includes material, labour tools & tackles, and polishing with all material and labouretc to complete in all respect.	R.M.T.		R/O	
3	FREE STANDING TABLE UNITS - Providing & making Tables of different sizes fabricated out of 19mm BWP block board for sides, top, drawer facia & the Modesty panel Specification including the fixing of one Drawer unit finished with 1 mm thick Laminate (specified and directed by the Architect)& fitting of all necessary hardware etc complete in all respect .The Contractor must executed the job as mentioned in the Technical Specification of the Tender. Following are the various size of table to be installed in the OFFICE as directed by ARCHITECT. Detailed drawings shall be				

riggii.	ICAI, NYAC, CCTY WUIKS AL KADNINADAN DRANCH J	DI GIIII 262 DI TIIC	MEST DELIŽBI STAI	re po-oberani	
1	anadysad lates. The tables was used flow who to work hid	I	 		<u>Dated: 24/02/2022</u>
	produced later. The tables may need flexi ply to match the				
	curved facia in the front depending upon the layout of the				
	branch. Tables should be made exactly as per drawing and				
	specification complying all necessary makes and materials.				
	Quoted cost of all tables must include:				
	a. Readymade CPU Trolley (Ebco/ Innofit)				
	b. Readymade metal Keyboard Tray (Ebco/ Innofit)				
	c. Concealed auto-closing shutter hinges consisting of 2				
	springs				
	d. Shutter/Drawer Locks with duplicate keys (Ebco/Godrej)				~ ()
	e. SS handles for Shutter/Drawer with matt-satin finish				
	f. Wire manager of approved colour on table top				
а	Type O1 Table (5'6" x 2'6" x 2'6") (For BRANCH MANAGER,	NOS.		3.00	
_	FEILD OFFICER)				
Ь	Type O2 Table (4'6" x 2'3" x 2'6") (For OFFICERS)	NOS.		3.00	
	Type 03 Table (3'-6" x 2' x 2'6") (For STAFF - SWC)	NOS.		4.00	
C					
d	Type 04 Free Standiing Table (3' x 5") (For Guest Room) -	NOS.		1.00	
	as multipurpose table for Diniging / Desk works etc with				
	Glass Top over laminated structure and design as defined				
<u> </u>	above. Devoid of any Keyboard Tray or CPU strolley				
4	STORAGE SIDE UNIT: FOR BM & officers	NOS.		6.00	
	Made out of 19mm block board for top and sides 350 mm				
	deep and 750 mm high approximate length of 1 mtr.				
	Consisting of 1 no. of drawer & cupboard of length 21" & rest				
	will be made as shelve with an intermediate 12 mm BWP Ply				
	wood at center. The top and sides to be finished with 1mm				
	laminate 8 inside surface finished with melamine polish 8				
	the detail as in Tender Specification.				
5	Filling Cabinets/Storage Unit:				
	Providing and placing in position 450 mm deep storage	K K)			
	cabinets made of 18mm commercial b/board for sides, top,				
	bottom and shelves and shutters and back with 6mm BWP				
	ply. All the exposed sides top and front to be finished with				
	Imm laminate and inside with spirit polish. The exposed ply				
	to be covered with wood polished lipping. The job is to				
	completed with all necessary hardware fitting & strictly				
	complying to the Tender Specification.				
	Quoted cost of all storages must include:a. Concealed auto-				
	closing shutter hinges consisting of 2 springsb.				
	Shutter/Drawer Locks with duplicate keys (Ebco/Godrej) c. SS handles for Shutter/Drawer with matt-satin finish				
а	Full Height Storage upto 2400 mm	SQMT		17.50	
Ь	Low Height Storage upto 900 mm - BM cabin /OFF.	SQMT		8.90	
С	Low Height Storage upto 1200 mm - AS SPECIFIED	SQMT		9.10	
6	Rolling Shutter Box Paneling with ACP: -	SQMT		3.50	
	Providing & fixing Providing & 3 mm thick Aluminum	ount.		0.00	
	composite panel cladding to Shutter/Box paneling of				
	exterior/interior grade with 37.5 X25 approx 1.1 mm thick				
	tubular section aluminum frame work of required Mfgr. Of				
	brand Aludecor /Alex /Alubond or Alstrongetc of Approved				
	shade as directed both horizontally & vertically @ 600 C/C				
	with 3 mm thick PVDF coated on ACP with virgin LPDE core,				
	duly treated with silicon sealant.				

					<u> Dated: 24/02</u>	/202
7	Door Frames: P/F/F Door frames made out of 4" x 3" /3" x 1.5" clear Steam Beech wood free of knots and proper rebates and grooves be made before fixing to the wall & finished with melamine polish with necessary approved M.S holdfast with split ends fixed with G.S.screws including grouting with 1:2:4 concrete in brick work and / or with rawl plug in RCC construction and/or properly screwed and fixed in Partion as directed etc complete.	CUMT		1.12		
8	Partly Glazed Flush Door: Providing and fixing partly glazed solid core flush door 35mm thick conforming to IS: 848 finished with Imm thick laminate on both sides and glazing with 8 mm thick clear glass as directed via drawing. Complete with all accessories like 100mm heavy duty stainless steel hinge, door stopper,6 Lever mortise lock etc. as per the Tender Specification.	SQMT		6.11	N. C. L. C.	>
9	Solid Core Flush Door: Providing and fixing solid core flush door 35mm thick conforming to IS: 848 finished with approved laminate on both sides complete with all accessories like 100mm heavy duty stainless steel hinge, door stopper,6 lever mortise lock etc. as per the Tender Specification.	SOMT	×	7.81	0	
10	FRAMELESS FULL HEIGHT TOUGHENED GLAZING PARTITION ALONG WITH DOOR AND PATCH FITTINGS/ SLIDING CHANELS Providing & Erecting fully glazed frameless glass door made out of 12mm thick toughened glass work with pencil polish edges all around. Door shall be fixed with double leaf (2.5ft each) at main entrance & the top edge firmly connected with solid partion which further jointed to roof lintel/beam through proper wooden frame work & glass shall be fitted with PATCH FITTING assemblyinclusive of top and bottom patches, Floor spring (Covered in separte item)& all necessary hardware such as Bottom lock.Cost of Floor spring & Etching design on glass door paid separately but other accessories mentioned here are inclusive in the rate which also include the dismantling of existing Door.Detail as per drawing as directed by EIC. The work should executed as per as per Architects's recommendations & as directed by EIC. Cost includes all type of material, labour, necessary, staging, tools tackles, etc Complete.	SOMT	OPEILO	10.43		
10a	FLAP DOOR along with Single Window counters: Providing and fixing Flap Gate solid core - 35mm thick conforming to IS: 848 finished with Imm thick laminate on both sides as directed via drawing. Complete with all accessories like heavy duty stainless steel hinge, lock etc. as per the Tender Specification. Need to put an apron element along with the top openable as well as in sync and design with the fornt design of the table line - as per instruction and design provided - which sould itself be also openable	SOMT		1.55		
11	Door Closer - Providing and fixing door closure of Godrej/doorset/sterling of two speed (Heavy duty, Light Weight, thin type code:3976) as approved by ARCHITECT / EIC including toilet doors	NOS		9.00		
11A	For Sliding Mechanism - Providing and fixing sliding channels both on the door shutter as well as the floor channel created for smooth movement - Product make of Godrej/doorset/sterling / eqv (Heavy duty) as approved by ARCHITECT / EIC.	NOS		3.00	Page 26	

					<u> Dated: 24/02/2</u>
12	Floor spring:	NOS		3.00	
	Providing and fixing floor spring of Godrej/ Everite/ Dorma				
	two speed in floors for fixing flush doors. Necessary pivot				
	shall be provided at bottom and top so that the flush door				
	shall be operated. The cost includes cutting and making the				
	good of the floor etc complete as directed.				
13	Frosted Film:	SQMT		6.88	
	P & Fixing of FROSTED FILM Sparkle Series OR equivalent				
	etching film (frosted) to Main door Glass and other glasses				
	as directed, cut and fixed as per approved slander paten 8				
	design of Bank.				
14	Writing Ledge -				
	Providing & fixing Writing ledge of size 750mm x 500 mm x	NOS		1.00	
	150mm with pigeon hole type box below the top made out of				
	19mm block board finished with 1mm laminate fixed/				
	mounted on the wall with Angle Support. With a 12mm thick				
	machine polished clear glass top fitted to the main				
	structure with 4 nos. 75mm high stainless steel studs				
15	Suggestion Box & Cheque Drop Box -	NOS		2.00	
	Providing & fixing Suggestion box of size (450mmm x				
	150mm x 300mm) made out of 12mm block board finished		X		
	with Imm laminate and openable shutter with locking				
	arrangement.		- (C		
16	Pin up notice Board-	SQMT		6.00	
"	Providing, fitting in position 12mm thick pin-up board made	32.11			
	of soft cork board finished with the fabric (base rate				
	Rs.240/- metre) as approved, matching with the colour				
	scheme of the banking shall with a R.W. moulding all around				
	the edges.				
17	Partly Glazed partition: Full height	SQMT		21.56	
''	Providing & erecting double skin partly glazed partition	DISMI		21.00	
	made out of 50mm x 50 mm wooden members placed				
	600mm c/c both vertically and horizontally covered by				
	6mm BWR Ply on both sides and finished with 1.0 mm				
	Laminate of approved make and shade complete with 100				
	x12mm polished teak wood skirting etc with providing and				
	fixing 10 mm thk Machine Polished Float Glass with eatching				
	on minimum one side as detail in Tender spec. Measurement				
	of height shall be taken from F.L up to the False ceiling				
	underneath. Rate should include the provision for				
18	supporting the partitions from the main ceiling. Partly Glazed Low Height partition in between the	SQMT		4.11	
10	workstations	PIMI		4.11	
	Providing & erecting double skin partly glazed partition				
	made out of 50mm x 50 mm wooden members				
	placed600mm c/c both vertically and horizontally covered				
	by 6mm BWR Ply on both sides and finished partly with 1.0				
	mm Laminate of approved make and shade & partly with				
	10mm thk. soft board complete with 100 x12mm polished				
	teak wood skirting & Teak Wood Moulding on the Top and				
	side edges & with providing and fixing 10 mm thk Machine				
	Polished Float Glass with etching on minimum one side as				
	detail in Tender spec.				
19	DRY WALL Solid partition: Full height/Low Height (Record	SQMT		43.71	
	rm, store etc) Providing & erecting double skin solid				
	wall partition made out of 50mm x 50 mm wooden				
	members placed 600mm c/c both vertically and				
	horizontally covered by 6mm BWR Ply on both sides and				
			l		

Request for proposal (RFP) for selection of vendor for providing Composite Interior Furnishing Works including Civil, Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd. Dated: 24/02/2022 finished partly with 1.0 mm Laminate of approved make and shade complete with 100 x12mm polished teak wood skirting & Teak Wood Moulding on the Top and side edges - complete as per the instructionns on site from SIC / Architect / Banking office PLANTER BOX WITH ARTIFICIAL PLANTSProviding & NOS 4.00 placing in position square planter box 19 mm thickBWP ply of size 2' 0" x2' 0" x 1'6(h) including 2" high recessed skirting with a projected band of 10" height above it, all finished externally with 1.0mm thk.laminate(2 colours) as directed & inside with aluminium sheet lining. The top edge of the board to have Rubber wood lipping which will conceal the edge of the aluminium sheet, complete as per design. The Item also includes supply of Artificial plant of choice by the Architect. VERTICAL BLINDS - :-21 SQMT 13.50 22 CASH COUNTER AREA Providing and fixing cash counter complete - as shown in the drwng and as per the given specifications consisting of basic workstation and a top unit for customer transaction. It shall consist of 19mm thk comm. ply. counter top& granite ledge at 3' 6" height from FFL. It consists 19mm thk. Comm. ply top as per design. 1 mm laminate(approved make and shade) on the table top and all facing sides. It shall be supported on 19mm thk. Comm. Ply verticals at the ends. A 19mm thk comm. Ply apron finished in 1.0 mm thick laminate ((approved make and shade)) shall be provided. 20mm thick BLACK GALAXY Granite (BR Rs. 180/s.ft) 1'- 6" wide ledge with edge moulded on both sides & 6" wide protruding (edge moulded) shall be provided at 3'-6" & 3'-0" respectively from FFL. The vertical gap of 6" in between the two granite pieces should also be provided with same granite and finished neatly. 12 mm thick clear float glass with machined polished edges shall be provided from the top ledge to 5' 6" height fixed in angular on the sides with 4 1/2" gap at the bottom for teller supported on the sides by D clips. Ino. Computer key board tray (approved make), I no. tea tray, 2 / 3 nos. (equal sized) Drawer units shall be provided as shown in drgs. Drawer shall consist of 12mm thk. Comm. Ply, sides, back & base, facia of drawers shall be of 18mm thk. Comm. Ply finished in 1 mm laminate with steam beach wooden moulding on edges of drawer units.. Each drawer shall slide on a pair of approved make telescopic drawer sliders, provision to accommodate currency notes of different denominations shall be provided on the top drawer unit, which should be finishedwith 1mm thick laminate. A 19mm x 7mm steam beach woodenmoulding with mellamine shall be provided to the edge of table. All the exposed surfaces shall be finished with 1mm laminate all inner surfaces excluding drawers to be finished with frenchpolish and inside of the drawers with melamine finish. A 12mm thick soft board of good density to be mounted over 12mm thick comm.ply below the customer top andin betweenspace of staff counter. The soft board to be covered with plain fabric of approved colour from front and edges. Rate shall be inclusive of all necessary approved fittings like locks.handle etc.

		•	•	i	<u> Dated: 24/02/2</u>
	Quoted cost of all tables must include:a. Readymade CPU Trolley (Ebco/ Innofit)b. Readymade metal Keyboard Tray (Ebco/ Innofit)c. Concealed auto-closing shutter hinges consisting of 2 springs d. Shutter/Drawer Locks with duplicate keys (Ebco/Godrej) e. SS handles for Shutter/Drawer with matt-satin finish f. Wire manager of approved colour on table top	RM		3.05	
23	SIDE AND INTERMIDEATE PARTITION OF CASH COUNTER Providing Supplyig Cash counter Side, Intermediate & rear Partitions Providing fitting and fixing The intermediate/side/rear Partition of Cash Cabins which shall be of same specification as Partly glazed Full height Wooden Partition of Item No. 18 but upto 8' height only with the exception that the 8mm thk. Glazing starts from 3'-9" upto 5'-0" with pencil polish edges & etching as per drawing and also the exception that the partition shall be finished with Imm thk. laminate on both the sides.				SUL HIGH
	The side partition shall be slant as per design and the side intermediate partition panel will have an opening of 8"x4" in the partition at 3ft level. The glass will be fixed 11/4" x 3/4" beechwood beading with 3 coats of melamine polish. Provision for extra wooden frame work of same secTion for intermediate glazing to be included in the rate.	MDS	Š	12.10	
24	SHUTTERS WITH FRAME FOR ELECTRICAL PANELS Providing and fixing 18mm thk. plywood shutters with same ply frame. Division of shutters shall be made equally according to the length. Shutters shall be hinged to the framework and finished with 1.0mm thk. Laminate of approved colour and shade on outer side and inside finised with 2 coats of enamel paint of app colour and shade. Rate shall be inclusive of all necessary approved fittings like hinges, ball catch,150 mm long SS Brush Finish handle, tower bolts, locks, Aluminium powder coated air vent grills and necessary hardware fittings complete, etc.	SUM	060	4.50	
75	DRESSING MIRROR with drawer unit - Providing and fixing dressing table made out of mirror of size 1' 6" x 3' 0" using 12mm thk. Comm. Ply on back with 6mm thk. clear Mirror (First quality) approved make, fixed on the wall and tray of size 1' 6" x 1' 6"x 6" with one drawer for cosmetics. The mirror and ply should be fitted in Steam beach wooden moulding of size 25mm x 25mm finished with melamine. Rate shall include necessary fixtures and hardware fittings for dressing mirror & drawer unit. (Measurement is measured only for mirror) -	NOS		1.00	
26	3M SYNTHETIC DOOR MATS (4'-0" x 2'-0") Providing & laying in place Synthetic Door Mats (3M) of sizes not less that 4' x 2').	SOM		2.80	
27	CHAIR:-				
а	WAITING VISITORS - 3 seat a piece	NOS		7.00	
Ь	ВМ	NOS		1.00	
С	BM - VISITOR	NOS		3.00	
d	OFFICERS & SWC & CASH	NOS		10.00	
е	OTHER VISITORS	NOS		6.00	
f	STACKABLE CHAIRS	NOS		30.00	
	REF DETAILS OF CHAIRS AS PER SPECS PROVIDED BY ARCH / BANK - Should be even approved from architect office & Bank prior to Procurement of the Same. Brands : Godrej / Merryfair / Eqv				

				-	Dated: 24/02	/2022
28	Mobile pedestal unit- Providing & Mobile Pedestal unit shall have outer domantion of 400(W) X 450 (D) X 702 (H) mm. The drawer unit shall consist of 2box & one filling box. All the exposed edges sealed with 2mm thk PVC edge banding	NOS		8.00		
	tape & unexposed edges sealed with 0.6mm PVC banding tape pressed at 200°C with hot melt glue on special					
	machines. The inner drawer is made of 0.6mm CRCA steel duly powder coated & has proper locing arrangement with					
	drawer sliding on nylon rollers channels & SS Handle. The pedestal drawer is Mounted on PVC Castor. The manufacturer should have valid ISD:9001:2015, ISO :				5	
	14001:2015, OSHAS 18001:2007 & BIFMA certificate.					J
29		SQM.		280.00		
30 31	Anti insectisites using aqua base Pantry platform- Providing, fabrication & installing kitchen	SQM. RM		280.00 R / D		
ال	counter (600mm wide approx) made out of cudappah/ locally available hard quality natural stone (less expensive slab locally available) slab & granite top for the pantry counter consisting of the following (a) The vertical support	KM		K7 U	9111	
	should be of 20mm thick one side mirror polished natural stone (equivalent to Cuddappa) 2Nos. joined together with cement slurry erected in plum, line & level. (b) Cudappah 20mm thick SSMP natural stone (equivalent to Cuddappa)		Š			
	grouted with the wall with suitable cement slurry. (c) The top surface / working platform should have 20mm thick one side mirror polished natural granite (jet black) fixed on the counter with cement slurry. Fascia & upper skirting of		0651			
	granite also to be provided. The top granite should be fixed with min joints.					
32		NOS.		R/O		
33		SQM.		35.00		
34	PVC FLOORING :: - Providing & fixing min 3.0 mm PVC flooring material of approved texture design and colour - to be fixed in absolute sync and as per the specification of the PVC flooring manufacturers as well as the instructions of the SIC / bank rep	SQM.		20.00		
3		NOS		6		
3	COLUMN CLADDING: Providing and fixing 12mm thk. Plywood with same ply frame as part of cladding on the column, finished with 1.0mm thk. Laminate of approved colour and shade on outer side. Rate shall be inclusive of all necessary approved fittings and necessary hardware fittings complete, etc. as per the site need and instructions by SIC / Arch / bank	SQM.		21.00		
3	7 FOR GUEST ROOM NEEDS]

					<u> Dated: 24/02/2</u>
A	DOUBLE BED - 5FT X 6FT6 IN: Providing & fixing customized BED, wooden, of size max 5Ft x 6Ft 6in fabricated out of 19mm BWP b/board for sides, top, facia & panel unit finished with 1 mm thick Laminate (specified and directed by the Architect)& fitting of all necessary hardware etc complete in all respect .The Contractor must execute the job as mentioned in the Technical Specification of the Tender. Detailed drawings shall be produced later - if only so needed. The item should be made exactly as per drawing and specification complying all necessary makes and materials. Headboard is must with cushioned surface finish as per the details given	NO		1	Óy,
В	TV UNIT:: Providing & fixing customized TV Unit (1200mm x 800mm x 1200mm) fabricated out of 19mm BWP b/board unit finished with 1 mm thick Laminate (specified and directed by the Architect)& fitting of all necessary hardware etc complete in all respect .The Contractor must execute the job as mentioned in the Technical Specification of the Tender. Detailed drawings shall be produced later - if only so needed. The item should be made exactly as per drawing and specification complying all necessary makes and materials. Headboard is must with cushioned surface finish as per the details given	NO	, O	- P	
C	LED 32 INCH WITH BRACKET: Supplying & fixing customised LED type SMART TV LED, 32 inch with Bracket uni for wall mounting as per the specifications of the BrandUnit	NO	06	1	
D	STORAGE UNIT: Providing and placing in position 600 mm deep storage cabinets made of 18mm commercial b/board for sides, top, bottom and shelves and shutters and back with 6mm BWP ply. All the exposed sides top and front to be finished with 1mm laminate and inside with spirit polish. The exposed ply to be covered with wood polished lipping. The job is to completed with all necessary hardware fitting & strictly complying to the Tender Specification.	SD MT		6.3	
	CIVIL - WET WORKS - LOCKER ROOM RELATED WORKS				
38	LOCKER ROOM WORK Constructing RCC Wall in 1:1.5:3 mix (M20) concrete of required thickness as per the structural design. All RCC works should be machine mixed and vibrated, clear cover provided for reinforcement. The Rate shall include plastering with 3/4" thk. 1:4 cement plaster on both the sides. The rate shall be inclusive of All scaffolding work required, curing etc. Complete	CUMT		7.74	
39	STEEL REINFORCEMENT FOR ALL RCC WORKS as mentioned above :Providing and Fixing Structural Steel Reinforcement as per the structural details for lintels and other necessary items etc. including shuttering, binding etc. complete in all respect	TON		1.17	
40	Ist Brick Work in Superstructure: Providing and laying Brick Masonry with 1st class brick confirming to 1S 12894 in cement mortar 1:5(1 Cement : 5 Sand) in min 3inch brick thickness and in any shape at all height above plinth level including the cost of materials, labour, scaffolding/ staging, sampling & testing, soaking of bricks, cutting and laying of bricks, providing recesses, making openings of any shape &	CUMT		2.00	

	size, finishing the joints flush below ground level and raking out the joints above ground level, sealing the gap between masonry and soffit of beam/slab, embedding the fittings & fixtures, curing, etc. all complete as directed. Cost to be inclusive of necessary plastering, pointing works etc			<u>Dated: 24/02/2</u>
41	CEMENT PLASTER Providing minimum of 12mm thick Cement Plaster on above mentioned brick walls and patch works else-where with 1:6 cement mortar including soffits, and sides of old after removing worn out plaster and removal of the rubbish as per KMC norms surfaces complete as directed i/c scaffolding and curing all complete.openings, junctions and elsewhere on new as well as some old repaired structure.	SQFT	102.00	110
	SUB TOTAL OF FURNISHING WORKS		0-	9,

SL.	ELECTRICAL NET	SECTION - II Working and CCTV Wo	RKS	<u> </u>	
		WORKING AND CCTV WO	RKS		
	ITEM DESCRIPTION		TINE		
	ITEM DECEMBERION				
INIT	ITEM DESCRIPTION	UNIT	RATE	QTY.	AMOUNT
			(Rs.)		(Rs.)
	MAIN LT PANEL /DBs - TO BE PLACED AS PER INSTRUCTION FR	POM BANK / SIC			
	Supply and installation of main LT panel, wall mounted front		N .		
	operated totally enclosed vermin proof, indoor non-				
	drawout-cubicle type power panel fabricated out of 2mm thk				
	CRCA sheet having gasketed hinged cover on each cubicle				
	fully powder coated after 7 Tank treatment, incorporating horizontal and vertical sleeved copper busbars, complete	.0			
	with all internal wiring, danger board, 2 earthing legs, cable				
	chamber etc as required, housing below mentioned switch				
	gears / meter (GA drawing of the panel got to be approved	9			
	by Bank / Architect)				
	1No.,100A,FP, Changeover Switch + 1 no. , 100A,TP, MCCB with				
	ELR(O-3A) and CBCT as Incomer				
	6 nos. 40A & 4 nos. 63A, TPN, MCB outgoing				
	1 no., 0-125A, Ammeter with CTand selector switch				
	Ino., O-500V, Voltmeter with selector switch and fuse				
	1Set, TPN, Copper busbars of size 20mm x 5mm thk PVC				
	insulated suitable for 125 Amp load				
f	1 Set, RYB, indicating lamps with resistors and fuses				
	Full Set as above	SET		R/O	
	Suply and installation of 8 way, TP&N 'MCB type				
	Distribution Board(double door) flush mounted on wall,				
	sheet metal fabricated, powder coated, having dust-proof				
	and vermin 'proof, gasketed and hinged door with all internals such as DIN rails, neutral-link, interconnected				
	wiring, complete with earthing legs, housing following switch				
	gears (Double door HORIZONTAL DB)				
	1 no., 63A, TPN, ELCB(100mA) incomer				
	6 nos, 16/20A, SP, MCB outgoing				
	Full Set as above	SET		1.0	
3	Suply and installation of 4 way, TP&N 'MCB type				
	Distribution Board(double door) flush mounted on wall,				
	sheet metal fabricated, powder coated, having dust-proof				

					Dated: 24/02/.
	and vermin 'proof, gasketed and hinged door with all				
	internals such as DIN rails, neutral-link, interconnected				
	wiring, complete with earthing legs, housing following switch				
	gears (Double door VERTICAL DB) WITH ATM				
а	1 no., 40A, TPN, ELCB(100mA) incomer				
Ь	2 Nos 32 A TP MCB& 6 nos, 20A, SP, MCB outgoing				
	Full Set as above;	SET		1.0	
4	S & I of SPN, DB for distribution to all computer power	<u> </u>		1.0	
4	points on workstations, having below mentioned switchgears				
	(Earth bar inside these DB should be insulated from the				
	pody)				\sim C
а	1 no, 40A, DP, MCB, incomer				
<u>-</u>	12 nos, 16A, SP, MCB, outgoing				
U		OFT		40	
	Full Set as above	SET		1.0	
5	Lighting / DB	Set		1.0	
	i) Incomer- 1 No - 63A 4P MCB (10KA).			() (O)	
	ii) Dutgoing- 12 Nos 6/10-A SP MCB C Curve(10KA).				
	(UPS supply and LDB supply);				
6	PDB / AC DB: -	Set		1.0	
	i) Incomer -1 No- 100A 4P MCB Isolator.		X		
	ii) Outgoings- 10 nos 20/32- SP MCB C Curve (10KA).				
7	TIMER D.B. FOR AC -	Set	10	1.0	
8	TIMER D.B. FOR GLOW SIGN BOARD FOR BRANCH -	Set		1.0	
_	i) 1 no - 24 Hours Timeswitch(Legrand / Siemens)				
	ii) 2 nos. DP contactor, 20A rated(2 NO)		V		
	iii) 2 nos. 16A rated SP MCB (10KA). <i>(For alternative running</i>				
	of Lights of the Glow Sign Board at 4 Hours interval). 2 nos				
	Indicating Lamp(Orange & Red/ Blue) Battery Back up :				
	1000 hours, Load: 3000 A with LED Display Power				
9	S & L of 100A, MCCB in sheet metal enclosure for main	Nos.		1.0	
_	switch near meter and stabiliser input etc.	, i.u.u.			
10	S & I of 100A,FP, Changeover switch in sheet metal	Nos.		1.0	
	enclosure for stabilizer bypass - AS NEEDED				
II	CABLES / MAINS				
1	S & of 1100V grade armoured cable having sector /				
•	circular shaped aluminium / copper conductor PVC				
	insulated cores, laid up, PVC tape wrapped inner sheathed,				
	Gl strip / wire armoured and overall extruded PVC sheathed				
	confirming to IS: 1554, laid on wall or ceiling using GI clamps				
	and spacers as per route shown at site and further as			1	
	directed by Bank / Architect in the following sizes.				
а	3 1/2 C X 50 Sq.mm Al Cable;	Mtr		25.0	
Ь	2C x 4.0 Sq.mm Copper ;	mtr.		30.0	
C	2Cx 10Sq.mm Copper ;	mtr.		42.0	
2	S & Lof end termination of above mentioned cables including				
	compressed type brass glands, crimping type coper lugs,				
	insulation tape etc. as 'required complete with earthing of			1	
	glands in following sizes			ļ <u>.</u>	
а	3 1/2C X 50/35 Sq.mm	Nos.		3.0	
Ш	WIRING				
	Supply & wiring with 3x1.5 sq. mm 1.1 KV grade PVC S/C				
	multistrand CU wire (FRLS) in 20/25MM dia HMS grade PVC			1	
	conduit & accessories having control board with modular				
	switch mounted on suitable front plate and housed in				
	recessed MS box. The point wiring also include circuit wiring				
	with 1.1 KV grade 2 nos. single core 2.5 sq. mm +1 no. single			1	
	core (green colour for Earth) PVC insulated flexible copper				

	conductor wire (FRLS)through 20/25MM dia HMS grade PVC			_	<u> Dated: 24/02/</u>
	conduit from DB to Switch board, interconnection and				
	mending good all damages to original finish. (Max.8-10 points				
	or 700-800Watts per Circuit is allowed).				
1	ONE Light controlled by GA switch;	Each		6.0	
2	Two Light controlled by 6A switch;	Each		30.0	
3	Three Light controlled by 6A switch	Each		2.0	
4	Exhaust Fan point with GA switch ;	Each		4.0	
5	Bracket fan point with 6A switch ;	Each		16.0	
6	Modular type 6A switch, 1 no. 6A 5 pin socket point mounted	Each		4.0	
	on suitable front plate on separate switch board other than				
	light / fan switch board. (Power to be tapped from nearest				
_	S.B/LDB).				
7	Call bell point with bell push and bell (for manager's	Each		1.0	
_	Chamber).	D.		5.0	
8	16A Plug Point directly taken from DB for hotplate/geyser /	Pts		5.0	
9	xerox / fridge / microwave etc ; Indicator Light point from main panel to Banking area for	Pnt.		2.0	
J	indication of Mains power supply with wiring, indicator	FIIL.	8/1/	2.0	
	lamps etc.				
10	S & I of point wiring for UPS or stabilized power plug points	Pts	4.0	5.0	
	on workstations / table for computers using 3C X 2.5 Sqmm		0)		
	Cu. PVC sheathed white color flexible cable pulled through				
	above False ceiling and cutting the walls / floor raceways as		2		
	per site and taken upto table top using PVC rigid or flexible				
	conduits run within wooden or metal partitions. Each point				
	consisting of 3 Nos of 2 / 3 Pin sockets and 1 No 15A switch,				
	wired together forming one point. Switches and sockets to				
	be (ROMA). Earth wire to be of Green colour only. (Only 2 tables served by one circuit from UPS DB) Cost is inclusive	K			
	of necessary cutting the walls and including PVC Pipe				
	required for taking the wires. ;	5			
11	S & I of points similar to above but to be used as raw power	Pts		3.0	
	point on the tables consisting of one 5/15A socket with				
	switch of other color and flexible cable of black color &				
	circuit taken from Lighting DB (4 tables served by one				
	circuit from LDB/PDB) Taken Above False ceiling and				
	through walls / floor raceways as per site. Cost is inclusive				
	of necessary cutting the walls and including PVC Pipe				
40	required for taking the wires. ;	n-		40.0	
12	S & I of points for AC UNITS - at IDU / ODU as per the site	Pts		10.0	
	need - primarily Industrial Socket points - 16 A - heavy duty				
	type - as per specs and standards and onsite instructions by the Architect consultants. Cost is inclusive of necessary				
	cutting the walls and including PVC Pipe required for taking				
	the wires.;				
3	UPS - Input/ Output wiring complete work as per the	Mtr		10.0	
	location finalised at the site level as well as instruction from				
	the Arch Office. Cost is inclusive of necessary cutting the				
	walls and including PVC Pipe required for taking the wires. ;				
IV	LIGHTING FIXTURES (Philips/Wipro/Thorn/Crompton) for				
	SUPPLY & Installation only				
	SUPPLY & Installation of lighting fixtures as per the details				
	given below including necessary hardware such as				
	clamps,nuts, bolts, nails, screws and suspension chains as				
	required for fixing the fixtures in position as directed by	İ	I .	I	

1 1		1	1	<u>. </u>	<u> Dated: 24/02/2</u>
	architect / Consultant.				
1	1 X 20W LED BATTEN - Philips/Crompton/Jaquar / Eqv	Nos.		16.0	
2	2 X 20W LED BATTEN - Philips/Crompton/Jaquar / Eqv	Nos.		R / O	
3	1 X 15W, LED Round Spot - recessed Warm Light -	Nos.		6.0	
٥	Philips/Crompton/Jaquar / Eqv	NUS.		0.0	
4	1 X 12 W, LED Round Spot - recessed WHITE Light -	Nos.		18.0	
	Philips/Crompton/Jaquar / Eqv				•
5	2 x 2 ft (28 W min) LED Light Fitting of	Nos		38.0	
	Philips/Crompton/Jaquar / Eqv including supplying and fixing Suitable for recess mounting on false ceiling. Model				$\mathcal{L}_{\mathcal{X}}$
	with loures and a matrix of 6X4 LED's-1Watt each. Model				
	no.VCLR-G-22 White				
6	9 W (3X3) LED lamp suitable for Recess mounting	Nos		R/O	
_	Philips/Crompton/Jaquar / Eqv				
7	Strip Lighting - LED with driver - min 10 Ft - warm light	Nos		4.0	
8	colour - Philips/Crompton/Jaquar / Eqv Strip Lighting - LED with driver - min 15 Ft - warm light	Nos		R/O	
	colour - Philips/Crompton/Jaquar / Eqv	INUA		W/ U	
8	250mm dia wall mounted exhaust fan of decorative plastic	Nos.	N. N.	4.0	
	body and blade with louvers on the outside		1.0%		
п	(Newtek/Cromton/Approved Equivalent)	N	0/0	4D D	
9	UPTO 1200 mm diameter Wall/Ceiling fan in BANKING HALL AS SUPPORT ;	Nos.	MO,	16.0	
10	1400 mm diameter - STAND FAN for Locker room	Nos.	N	1.0	
V	EARTHING				
1	S & I of earth pit comprising of 600mm x 600mmx 3mm.			2.0	
	thick copper plate buried at a minimum depth of 2.5 meter	Nos.		_	
	including necessary materials like charcoal,saltetc as	. 0_			
	required conforming to BIS standards having brick masonary chamber with hinged cover and watering				
	masonary chamber with ninged cover and watering arrangement.	0,			
_					
2	Extra for depth beyond 2.5 meter earth pit if required in any	Mtr.		10.0	
	condition				
3	condition Chemical Earthing using Electrode of size 80 mm dia, 2	Mtr. Nos		10.0 R / 0	
	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip				
	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with				
	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required				
3	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement.				
3	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / GI earthing wires / strips in following sizes	Nas		R/O	
3 4 5	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire	Nos Mtrs		R / D	
3 4 5 6	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire	Nos Mtrs Mtrs		R / D 15.0 22.0	
3 4 5 6 7	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip	Nos Mtrs		R / D	
3 4 5 6	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire	Nos Mtrs Mtrs		R / D 15.0 22.0	
3 4 5 6 7	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the	Nos Mtrs Mtrs		R / D 15.0 22.0	
3 4 5 6 7	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes	Nos Mtrs Mtrs Mtrs		R / D 15.0 22.0 25.0	
3 4 5 6 7 8	condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit	Mtrs Mtrs Mtrs Mtrs		15.0 22.0 25.0	
3 4 5 6 7	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit S & I of Main bus for isolated earth comprising of 200mm x	Nos Mtrs Mtrs Mtrs		R / D 15.0 22.0 25.0	
3 4 5 6 7 8	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit S & I of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support	Mtrs Mtrs Mtrs Mtrs		15.0 22.0 25.0	
3 4 5 6 7 8	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit S & I of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x	Mtrs Mtrs Mtrs Mtrs		15.0 22.0 25.0	
3 4 5 6 7 8	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit S & I of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x 200mm x 50mm deep and having transparent acrilic cover	Mtrs Mtrs Mtrs Mtrs		15.0 22.0 25.0	
3 4 5 6 7 8	Condition Chemical Earthing using Electrode of size 80 mm dia, 2 meter long connected with 50X6 mm Copper internal strip complete with excavation, civil works, cast iron cover with back fill compound. The voltage between Neutral & Earth not to exceed 2 volts. including bore holes wherever required and putting the earth as per requirement. S & I of copper / Gl earthing wires / strips in following sizes 8 SWG copper bare wire 12 SWG copper bare wire 25mm x 3mm thick Gl strip S & I of isolated earthing / grounding system for computers etc.using insulated green copper earthing wire laid through 20mm PVC conduits from separately made earth pit to the equipment in following sizes 6 sqmm copper in 20mm PVC conduit S & I of Main bus for isolated earth comprising of 200mm x 40mm x 6mm thick copper bar fixed on insulated support and having 20 nos of holes and nut bolts studs for clamping the earth leads,all contained in MS/PVCbox of size 300mm x	Mtrs Mtrs Mtrs Mtrs		15.0 22.0 25.0	

Electrical, HVAC, CCTV works at KASHINAGAR BRANCH premises of The West Bengal State Co-operative Bank Ltd. Dated: 24/02/2022 Computer socket outlet cluster point wiring with 1.1KV grade 10.0 Each 2x 2.5 + 1x1.5 sq. mm. PVC insulated flexible copper conductor wire(FRLS) through 2D/25MM dia HMS grade PVC conduit with all accessories up to connection of 2/3 nos. sockets cluster in one circuit connecting by looping method. The work includes supply and fixing of sockets outlet cluster components as detailed below:-1 nos.- 16A modular type switch. 3 nos. - 6/16A 5 pin modular type socket 1 each no. - Front plate & MS box. (IDEALLY for Each Table & counters & 1 each in canteen & ATM) SUB TOTAL FOR ELECTRICAL WORKS VII WIRING FOR DATA AND VOICE OUTLETS Supply and fixing the following sizes of PVC medium grade ISI marked conduits (IS: 9537 Part-III) complete with accessories such as bends, junction boxes, pull boxes etc., in recess or on surface including cutting chases in the walls/floors and making good the same complete as required. 25 mm dia 2.0mm wall thickness 22.0 mts 75mm X75mm PVC box type trunking 30.0 2.0 mtr. Providing and laying Cat 6 cable (Make: Systimax) for data in existing conduits and providing & terminating with RJ-45 (Krone make) with face plates / I/O Ports in suitable modular / MS box from server / EPABX room to individual work stations and terminating other end with RJ-45 connector including numbering with ferule RJ-45 for data points (THROUGH False ceiling and wall); 25.0 4.0 points Providing and laying Cat 5 cable (Make: D-Link) for voice in existing conduits for voice and providing & terminating with RJ-11 (Krone make) with face plates / I/O Ports in suitable modular / MS box from server / EPABX room to individual work stations and terminate the other end with RJ-11 connector or on a Crone module with numbering of each cable with Ferule RJ-11 for Voice (THROUGH FALSE CEILING AND WALL); 15.0 points Providing, laying and connecting PVC insulated copper telephone cable of following sizes including termination in approved manner. 55.0 20-pair; mtr. 8.0 Providing and fixing of telephone tag block (Krone) of following sizes housed in GI box with cover of suitable size including termination 2.0 20 pair No. ADDITIONAL WORKS AS PER THE SITE NEED, Cost to include removal from existing branch space, transportation and re-installation and checking of the same at the new site premise 1.0 PATCH CORD I MT LENGTH NDS 5.0 2.0 PATCH CORD 2MT LENGTH NOS 15.0 3.0 24 port Patch Panel 1.0 Job 10/100 MBPS 24 PORT SWITCH 4.0 Job 1.0 9 URACK 1.0 Job SUB TOTAL FOR NETWORKING WORKS VIII Supply & Installation of CCTV UNITS

Request for proposal (RFP) for selection of vendor for providing Composite Interior Furnishing Works including Civil,

					Dated: 24/02/20
1	NVR - RECORDING : (1) PoE Built In :- N/A, (2) Network Port:- 1*RJ45 1000M, (3) Audio 1/0:- 1/1, (4) Alarm 1/0:- 4/1, (5)	NO		1.0	
	RAID :- N/A, (6) Case :- IU 8-ch, 1 SATA interface, IU,				
	H.26584K, Dual Network interface , 8 Channel Preferred				
	Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus /				
2	Dahua IR DOME CAMERA : - NIGHT VISION 2MP CAMERA: 1/2.7" TO 1	МП		0.00	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		NO		8.00	
	/3.0" CMOS, ICR, 1920x1080:30fps, H.265/H.264/MJPEG, DUAL stream, DC12V & PoE, DWDR, IP67 & IK10, Fixed lens				
	(2.8mm,4mm), IR range: up to 30mtr. 2-Axis Preferred				
	Make :Honeywell / Hikvision / Zicom / Bosch / Sony / CP Plus /				
	Dahua				$\mathcal{L} \times \mathcal{L}$
3	POE SWITCH : POWER ON ETHERNET Netgear GS110TP /	NO		1.00	
	EQVProSafe 8-Port Gigabit PoESmartwith 150W minimum				
	Power-overEthernet budget and 2 SFP ports for wireless				
	converged networks, IP surveillance and mobility,2				
	dedicated Gigabit SFP fiber ports Preferred Make :			0.0	
	NETGEAR/CISCO/TENDA				
4	RJ-45 : Connector - Crimping Connector Preferred make:	NO		30.00	
	D'LINK/Equivalent Digital display of speed & timer Speed		• . \	\bigcirc	
	Mode - Variable Speed Type of Drive Motor - Brushless DC				
	Motor				
	Note : Above details to revise as per Actual Site		4,0		
	measurements				
5	RACK 6U : To mount CCTV Hardware Cable Manager + Fan +	NO		1.00	
	5 Port Power Strip + 1 Tray				
	Preferred Make : ELIXER/Equivalent				
6	UPS : 1 KVA Online power manager 60 min. power backup	ND		1.00	
	Preferred Make: ABC/APC/ELNOVA/Equivalent				
	Note : Above item may be added only as per the SITE NEED /				
- 7	client need	AATDO		50.00	
7	CABLE : Data transmission CAT 6 cable with PVC Conduit, of	MTRS		50.00	
	approved make and quality, as per the site installation needs				
	Preferred Make: Dlink/LEGRAND/STERLIGHT/Equivalent				
	Note : Above details to revise as per Actual Site				
8	HARD DISK 4 TB for backup and data storage Preferred make:	ND		1.00	
	WD/Seagate				
9	Digital TV Set for Display: Size: 24 Inch: Type: LED:	LOT		1.00	
	Resolution: Full HD 1920x1080 pixels; Contrast ratio:				
	1000000 :1; Horizontal and Vertical viewing angle: 89°;				
	Response time: 5 ms; HDMI Ports: 1(Side), 2(Rear); USB				
	Supports for Audio, Video; Image Rf Input analog Coaxial				
	Ports: 1(Bottom); Ethernet Sockets: 1; Component Output RGB				
	Input Ports: 1(Bottom); Composite Input Audio Video Cable				
	Ports: 2(Rear); MHL Enabled: yes; Usb Ports: O2; Nfc Ports: Yes; Digital optical Audio Output Ports: O1; Head phone				
	speaker Output Ports: OI; Video: HDMI, RF, Component video				
	signals, with AUTO, PAL, NTSC, SECAM analog TV and DVB				
	digital TV format. It should support JPEG, PNG image				
	formats and 3GP, ASF, AVI, MKV, MOV, MP4, MPEG-1,				
	MPEG2PS, MPEG2TS, VOB, WMV video formats; Audio: AAC,				
	LPCM, MP3, WAV, WMA supported with Dolby Digital, Dolby				
	Digital Plus, Dolby Pulse sound technology and O2 speakers;				
	Smart TV feature with DLNA, MHL, Photo share, Smartphone				
	connect, WiFi Direct, Fluctuation protection. It should work				
	on 100 - 240 V and Power consumption: 0.5 W. It should be				
	supplied with Television, Remote, 2 Remote Batteries, User				
	Manual, Warranty Card.				
Щ	, our ur	l	I	I	

				· 	Dated: 24/02/2022
	Preferred make: Sony/LG/Samsung/MI				
10	LABOUR: (1) CAT6 cabling with PVC pipe and lock (2) Camera	LS		1.00	
	mounting with material, camera installation (3) NVR Setup				
	and installation NVR Configuration (4) Electric power points				
	tapping (if needed) (5) Mounting work of all Hardware in				
	Rack after wall mount rack installation (6) Installation of				
	Digital TV (7) Necessary civil / piping / support work for				
	installation of cameras at location	10		4.00	
11	BUY BACK VALUE FOR THE EXISTING CCTV SET UP (ANALOGUE	LS		1.00	
	TYPE) ALONG WITH DVR AND CAMERAS AS PRESENT IN				
	EXISTING SITE PREMISE		- X)	
	SUB TOTAL FOR CCTV WORKS				
			10.		
	TOTAL FOR ELECTRICAL + NETWORKING WORKS + CCTV				

		0001011 111	\sim		
		SECTION - III Dning (HVAC) W C	אמו		
	AIR GURDITI	DINING (IIVAG) W			
SL. No	ITEM DESCRIPTION	UNIT	RATE (Rs.)	ату.	AMDUNT (Rs.)
	Equipment Supply Part				
1.0	Supply of Approved Make normal Hi Wall Split of the following tonage				
A	Hi Wall type AC Unit 1.5 TR Normal Capacity	Nos		7.0	
В	Hi Wall type Indoor Unit 1.0 TR Normal Capacity	Nos		3.0	
	make options :: Bluestar / Hitachi / Daikin / Mitshubishi				
TOTA	L FOR ABOVE SYSTEM (PART 1)				
	Installation Part				
1.0	Installation, testing & commissioning of normal Hi Wall Split of the following tonage				
a)	Hi Wall type AC Unit 1.5 TR Normal Capacity	Nos		7.0	
Ь)	Hi Wall type Indoor Unit 1.0 TR Normal Capacity	Nos		3.0	
2.0	REFRIGERANT PIPING				
	Supply,installation.testing and commissioning of copper refrigerant piping for the above indoor and outdoor units copper piping shall be properly supported and it shall include the cost of all the fitting, insulation and all required fittings, joints etc. as per drawings of the following sizes. The insulation shall be 19/13mm thick closed cell nitrile rubber tubular insulation. Nominal diametres of pipes in mm as indicated below.				

I 、	F 0 40 / . (0.0)(T 1.)	İ	I	l i	<u>Datea: 24/02/</u>	
a)	For Cassette AC (assuming 10 RMT per ckt)	Rmt.				
Ь)	For Hi Wall Split AC (assuming 5 RMT per unit)	Rmt.		70.0		
3.0	Supply,installation,testing and commissioning of drain pipes with 9/6 mm nitrile rubber insulations complete with supports as per drawings and specifications of below sizes					
a)	20 mm 00.	Rmt.		110.0		
Ь)	25 mm OD.	Rmt.		130.0	×C	
4.0	Supply, installation, testing & commissioning of Refrigerant for the above unit .	Lot		1.0		
5.0	Lifting shifting of Indoor & outdoor units	Lot		1.0	5	
6.0	ODU Structure	Nos		10.0		
TOTA	L FOR ABOVE SYSTEM (PART 2)	•				
			_(0			
	TOTAL FOR PART 1 & 2 - SUPPLY & INSTALLATION WORKS COMPLETE					

SI No	SUMMARY	AMOUNT (Rs.)
1	SECTION-1	
2	SECTION-2	
3	SECTION-3	
	TOTAL BID FOR COMPOSITE WORK	

IN WORD Rs.

Place	:
n_+	

AUTHORISED SIGNATORY

Dated: 24/02/2022

Annexure-2

FINAL CHECKLIST FOR BIDDERS TO FILL IN CHECKLIST FOR TECHNICAL BIDS

SL	DESCRIPTION		REMARKS
NO.			
1	DOCUMENTATION FOR COMPANY REGISTRATIONS		
2	DOCUMENTATION FOR ADDRESS CONFIRMATIONS OF THE REGD BUSINESS NAME & STYLE		XO
3	TRADE LICENSE DETAILS		
4	WORKING EXPERIENCE DETAILS (SIMILAR WORK EXPERIENCES - SUPPORTED WITH ORDER COPIES / COMPLETION CERTIFICATE)	3	
5	TEAM DETAILS		
6	EMPANELMENT LIST WITH DETAILS		
7	CLIENT REFERENCE DETAILS		
8	LIST OF SIMILAR WORKS IN HAND - SUPPORTED WITH ORDER COPIES		
9	Copies of the Audited Balance Sheet for the last three (3) Years i.e. 2018-2019,		
	2019-2020 & 2020-2021 along with the Profit & Loss Account		
10	Banker's Certificate for credit worthiness.		
- 11	IT RETURN DETAILS FOR FY 2018-2019, 2019-2020 & 2020-2021		
12	Pan Card		
13	GST DETAILS		
14	List of disputes/ litigations entered into, if any, with its details		
15	EMD AND TENDER FEES /MSME Registration certificate - DETAILS AND ATTACHED		
16	COMMERCIALBID DOCUMENT - BLANK i.e. WITHOUT QUOTE, SIGNED AND STAMPED		
17	Submission of General & Technical Information in ref to Annexure-A		
18	Submission of Compliance Certificate in ref to Annexure-B		
19	Submission of Bid Security/EMD declaration in ref to Annexure-C		
20	Submission of declaration regarding blacklisting in ref to Annexure-D		
21	Submission of declaration for 1 year warranty & 3 years maintenance in ref to		
	Annexure-E		

CHECK LIST FOR COMMERCIALBIDS				
SL NO.	DESCRIPTION	YES/NO	REMARKS	
	COMMERCIAL BID DOCUMENT -WITH ALL			
	RELEVANT QUOTES DULY CONFIRMED VIDE			
	DIGITAL SIGN in ref to Annexure-1			

AUTHORISED SIGNATORY